



Product Service

Attestation of Conformity

No. N8A 094747 0105 Rev. 00


Holder of Attestation: **Xinsu Global Electronic Co., Limited**
Unit 2508A, 25/F Bank Of America Tower, 12 Harcourt Road
Central
HONG KONG

Product: **Switching power supply unit
(SWITCHING POWER SUPPLY)**

This Attestation of Conformity is issued on a voluntary basis according to the Low Voltage Directive 2014/35/EU relating to electrical equipment designed for use within certain voltage limits. It confirms that the listed equipment complies with the principal protection requirements of the directive and is based on the technical specifications applicable at the time of issuance. It refers only to the particular sample submitted for conformity assessment. For details see: www.tuvsud.com/ps-cert

Test report no.: 652502206501

Date, 2023-02-27


(Michael Xu)

Page 1 of 2

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.



TUV®



Product Service

Attestation of Conformity

No. N8A 094747 0105 Rev. 00

Model(s): XSGxxxxxyzz, XSGxxxxxy, XSEC050yyyyzz, XSEC050yyyy, XSExxxxxy, XSExxxxxyEU (xxx=042-365, stands for rated output voltage from 4.2VDC to 36.5VDC; yyyy=0100-3000, stands for rated output current from 0.1A to 3.0A; zz=EU or UK stands for direct plug-in plug type; EU means Europe plug, UK means Britain plug.)

Brand: Xinsu Global



Parameters:

Rated Input: 100-240VAC, 50/60Hz, 0.6A Max

Rated Output: See below table for details

Protection Class: II

Degree of Protection: IP20

Model No.	Input rating	Rated output voltage (VDC)	Rated output current (A)	Max. rated output power (W)
XSEC050yyyyzz, XSEC050yyyy,	100-240VAC, 50/60Hz, 0.6A Max	5.0	0.1-3.0	15.0
XSGxxxxxyzz, XSGxxxxxy, XSExxxxxy, XSExxxxxyEU		4.2-5.0	0.1-3.0	15.0
		5.1-6.0	0.1-2.5	15.0
		6.1-7.9	0.1-2.0	14.0
		8.0-9.0	0.1-1.8	16.2
		9.1-11.5	0.1-1.6	15.0
		11.6-16.8	0.1-1.5	18.0
		16.9-18.0	0.1-1.0	18.0
		18.1-20.0	0.1-0.9	18.0
		20.1-36.5	0.1-0.85	18.25

Tested according to:

EN IEC 61558-1:2019

EN 61558-2-16:2009/A1:2013

Page 2 of 2

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.

