

# Certificate of Conformity

Global-Mark Pty. Ltd., certify the electrical equipment described hereunder complies with standards listed herein and notifies the certificate holder to affix the authorised Approval Mark on the product of the same type and the Regulatory Compliance Mark (RCM) mark provided that the requirements of all relevant parts of AS/NZS 4417 applicable to the article are fulfilled. In placing the Approval and RCM mark on the product, the Responsible Supplier makes a declaration of compliance with the certification standard(s) and confirms that the product is identical to the product certified herein. – This Certificate meets the requirements of a Recognised External Certification Scheme (EESS- RECS) and a Recognised External Approval Scheme (NSW-REAS).

## CERTIFICATION AND CERTIFICATE HOLDER DETAILS

Company Name	<b>Xinsu Global Electronic Co.,Limited</b>	Other Name	
Address	<b>Unit 2508A, 25/F Of America Tower, 12 Harcourt Road, Central - - Hong Kong</b>		
Client ID	<b>108463</b>	Global-Mark File Number:	<b>108463-003</b>
Certificate Number & Approval Mark	<b>GMA-515155-EA</b>	Revision Number	<b>00</b>
Certification Standard(s)	<b>AS/NZS 62368.1:2022 &amp; AS/NZS 3112:2017 App J including A1 Audio/video, information and communication technology equipment - Safety requirements</b>		
Type of Certification	<b>Electrical Safety Product</b>	Scheme	<b>Global-Mark Electrical Product Safety Certification Scheme</b>

System 1 Approval

## CERTIFICATE DATES

Certificate Issue Date	<b>5/04/2023</b>
Certificate Last Update Date	
Certification Expiry Date	<b>5/04/2028</b>

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to [www.jas-anz.org/register](http://www.jas-anz.org/register) for verification.



**Certification Manager**




CERTIFIED ELECTRICAL EQUIPMENT				
Declared Article	Product Description	Trade Name	Model Number	Rating
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG0420300	Input: 100-240VAC 50/60Hz 0.6A Output: 4.2Vdc, 0.3A, 1.3W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG0420300AU	Input: 100-240VAC 50/60Hz 0.6A Output: 4.2Vdc, 0.3A, 1.3W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG0420500	Input: 100-240VAC 50/60Hz 0.6A Output: 4.2Vdc, 0.5A, 2.1W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG0420500AU	Input: 100-240VAC 50/60Hz 0.6A Output: 4.2Vdc, 0.5A, 2.1W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG0420600	Input: 100-240VAC 50/60Hz 0.6A Output: 4.2Vdc, 0.6A, 2.52W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG0420600AU	Input: 100-240VAC 50/60Hz 0.6A Output: 4.2Vdc, 0.6A, 2.52W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG0420800	Input: 100-240VAC 50/60Hz 0.6A Output: 4.2Vdc, 0.8A, 3.36W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG0420800AU	Input: 100-240VAC 50/60Hz 0.6A Output: 4.2Vdc, 0.8A, 3.36W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG0421000	Input: 100-240VAC 50/60Hz 0.6A Output: 4.2Vdc, 1.0A, 4.2W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG0421000AU	Input: 100-240VAC 50/60Hz 0.6A Output: 4.2Vdc, 1.0A, 4.2W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG0421500	Input: 100-240VAC 50/60Hz 0.6A Output: 4.2Vdc, 1.5A, 6.3W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG0421500AU	Input: 100-240VAC 50/60Hz 0.6A Output: 4.2Vdc, 1.5A, 6.3W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG0422000	Input: 100-240VAC 50/60Hz 0.6A Output: 4.2Vdc, 2.0A, 8.4W

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to [www.jas-anz.org/register](http://www.jas-anz.org/register) for verification.



**Certification Manager**



global-mark®

# Certificate of Conformity

Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG0422000AU	Input: 100-240VAC 50/60Hz 0.6A Output: 4.2Vdc, 2.0A, 8.4W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG0422500	Input: 100-240VAC 50/60Hz 0.6A Output: 4.2Vdc, 2.5A, 10.5W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG0422500AU	Input: 100-240VAC 50/60Hz 0.6A Output: 4.2Vdc, 2.5A, 10.5W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG0423000	Input: 100-240VAC 50/60Hz 0.6A Output: 4.2Vdc, 3.0A, 12.6W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG0423000AU	Input: 100-240VAC 50/60Hz 0.6A Output: 4.2Vdc, 3.0A, 12.6W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSEC0500300	Input: 100-240VAC 50/60Hz 0.6A Output: 5.0Vdc, 0.3A, 1.5W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSEC0500300AU	Input: 100-240VAC 50/60Hz 0.6A Output: 5.0Vdc, 0.3A, 1.5W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSEC0500500	Input: 100-240VAC 50/60Hz 0.6A Output: 5.0Vdc, 0.5A, 2.5W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSEC0500500AU	Input: 100-240VAC 50/60Hz 0.6A Output: 5.0Vdc, 0.5A, 2.5W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSEC0501000	Input: 100-240VAC 50/60Hz 0.6A Output: 5.0Vdc, 1.0A, 5.0W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSEC0501000AU	Input: 100-240VAC 50/60Hz 0.6A Output: 5.0Vdc, 1.0A, 5.0W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSEC0501200	Input: 100-240VAC 50/60Hz 0.6A Output: 5.0Vdc, 1.2A, 6.0W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSEC0501200AU	Input: 100-240VAC 50/60Hz 0.6A Output: 5.0Vdc, 1.2A, 6.0W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSEC0501500	Input: 100-240VAC 50/60Hz 0.6A Output: 5.0Vdc, 1.5A, 7.5W

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to [www.jas-anz.org/register](http://www.jas-anz.org/register) for verification.



Certification Manager



JAS-ANZ



# Certificate of Conformity

Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSEC0501500AU	Input: 100-240VAC 50/60Hz 0.6A Output: 5.0Vdc, 1.5A, 7.5W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSEC0501750	Input: 100-240VAC 50/60Hz 0.6A Output: 5.0Vdc, 1.75A, 8.75W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSEC0501750AU	Input: 100-240VAC 50/60Hz 0.6A Output: 5.0Vdc, 1.75A, 8.75W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSEC0502000	Input: 100-240VAC 50/60Hz 0.6A Output: 5.0Vdc, 2.0A, 10.0W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSEC0502000AU	Input: 100-240VAC 50/60Hz 0.6A Output: 5.0Vdc, 2.0A, 10.0W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSEC0502100	Input: 100-240VAC 50/60Hz 0.6A Output: 5.0Vdc, 2.1A, 10.5W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSEC0502100AU	Input: 100-240VAC 50/60Hz 0.6A Output: 5.0Vdc, 2.1A, 10.5W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSEC0502500	Input: 100-240VAC 50/60Hz 0.6A Output: 5.0Vdc, 2.5 A, 12.5W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSEC0502500AU	Input: 100-240VAC 50/60Hz 0.6A Output: 5.0Vdc, 2.5 A, 12.5W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSEC0503000	Input: 100-240VAC 50/60Hz 0.6A Output: 5.0Vdc, 3.0A, 15.0W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSEC0503000AU	Input: 100-240VAC 50/60Hz 0.6A Output: 5.0Vdc, 3.0A, 15.0W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG0500300	Input: 100-240VAC 50/60Hz 0.6A Output: 5.0Vdc, 0.3A, 1.5W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG0500300AU	Input: 100-240VAC 50/60Hz 0.6A Output: 5.0Vdc, 0.3A, 1.5W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG0500500	Input: 100-240VAC 50/60Hz 0.6A Output: 5.0Vdc, 0.5A, 2.5W

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to [www.jas-anz.org/register](http://www.jas-anz.org/register) for verification.



**Certification Manager**







global-mark®

# Certificate of Conformity

Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG0500500AU	Input: 100-240VAC 50/60Hz 0.6A Output: 5.0Vdc, 0.5A, 2.5W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG0500800	Input: 100-240VAC 50/60Hz 0.6A Output: 5.0Vdc, 0.8A, 4.0W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG0500800AU	Input: 100-240VAC 50/60Hz 0.6A Output: 5.0Vdc, 0.8A, 4.0W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG0501000	Input: 100-240VAC 50/60Hz 0.6A Output: 5.0Vdc, 1.0A, 5.0W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG0501000AU	Input: 100-240VAC 50/60Hz 0.6A Output: 5.0Vdc, 1.0A, 5.0W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG0501200	Input: 100-240VAC 50/60Hz 0.6A Output: 5.0Vdc, 1.2A, 6.0W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG0501200AU	Input: 100-240VAC 50/60Hz 0.6A Output: 5.0Vdc, 1.2A, 6.0W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG0501500	Input: 100-240VAC 50/60Hz 0.6A Output: 5.0Vdc, 1.5A, 7.5W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG0501500AU	Input: 100-240VAC 50/60Hz 0.6A Output: 5.0Vdc, 1.5A, 7.5W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG0501750	Input: 100-240VAC 50/60Hz 0.6A Output: 5.0Vdc, 1.75A, 8.75W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG0501750AU	Input: 100-240VAC 50/60Hz 0.6A Output: 5.0Vdc, 1.75A, 8.75W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG0502000	Input: 100-240VAC 50/60Hz 0.6A Output: 5.0Vdc, 2.0A, 10.0W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG0502000AU	Input: 100-240VAC 50/60Hz 0.6A Output: 5.0Vdc, 2.0A, 10.0W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG0502100	Input: 100-240VAC 50/60Hz 0.6A Output: 5.0Vdc, 2.1A, 10.5W

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to [www.jas-anz.org/register](http://www.jas-anz.org/register) for verification.



Certification Manager



JAS-ANZ



# Certificate of Conformity

Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG0502100AU	Input: 100-240VAC 50/60Hz 0.6A Output: 5.0Vdc, 2.1A, 10.5W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG0502500	Input: 100-240VAC 50/60Hz 0.6A Output: 5.0Vdc, 2.5 A, 12.5W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG0502500AU	Input: 100-240VAC 50/60Hz 0.6A Output: 5.0Vdc, 2.5 A, 12.5W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG0503000	Input: 100-240VAC 50/60Hz 0.6A Output: 5.0Vdc, 3.0A, 15.0W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG0503000AU	Input: 100-240VAC 50/60Hz 0.6A Output: 5.0Vdc, 3.0A, 15.0W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG0600500	Input: 100-240VAC 50/60Hz 0.6A Output: 6.0Vdc, 0.5A, 3.0W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG0600500AU	Input: 100-240VAC 50/60Hz 0.6A Output: 6.0Vdc, 0.5A, 3.0W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG0600600	Input: 100-240VAC 50/60Hz 0.6A Output: 6.0Vdc, 0.6A, 3.6W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG0600600AU	Input: 100-240VAC 50/60Hz 0.6A Output: 6.0Vdc, 0.6A, 3.6W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG0600800	Input: 100-240VAC 50/60Hz 0.6A Output: 6.0Vdc, 0.8A, 4.8W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG0600800AU	Input: 100-240VAC 50/60Hz 0.6A Output: 6.0Vdc, 0.8A, 4.8W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG0601000	Input: 100-240VAC 50/60Hz 0.6A Output: 6.0Vdc, 1 A, 6.0W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG0601000AU	Input: 100-240VAC 50/60Hz 0.6A Output: 6.0Vdc, 1 A, 6.0W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG0601500	Input: 100-240VAC 50/60Hz 0.6A Output: 6.0Vdc, 1.5A, 9.0W

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to [www.jas-anz.org/register](http://www.jas-anz.org/register) for verification.



Certification Manager





global-mark®

# Certificate of Conformity

Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG0601500AU	Input: 100-240VAC 50/60Hz 0.6A Output: 6.0Vdc, 1.5A, 9.0W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG0602000	Input: 100-240VAC 50/60Hz 0.6A Output: 6.0Vdc, 2A, 12.0W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG0602000AU	Input: 100-240VAC 50/60Hz 0.6A Output: 6.0Vdc, 2A, 12.0W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG0602500	Input: 100-240VAC 50/60Hz 0.6A Output: 6.0Vdc, 2.5A, 15.0W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG0602500AU	Input: 100-240VAC 50/60Hz 0.6A Output: 6.0Vdc, 2.5A, 15.0W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG0650500	Input: 100-240VAC 50/60Hz 0.6A Output: 6.5Vdc, 0.5A, 3.25W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG0650500AU	Input: 100-240VAC 50/60Hz 0.6A Output: 6.5Vdc, 0.5A, 3.25W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG0651000	Input: 100-240VAC 50/60Hz 0.6A Output: 6.5Vdc, 1 A, 6.5W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG0651000AU	Input: 100-240VAC 50/60Hz 0.6A Output: 6.5Vdc, 1 A, 6.5W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG0651500	Input: 100-240VAC 50/60Hz 0.6A Output: 6.5Vdc, 1.5A, 9.75W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG0651500AU	Input: 100-240VAC 50/60Hz 0.6A Output: 6.5Vdc, 1.5A, 9.75W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG0652000	Input: 100-240VAC 50/60Hz 0.6A Output: 6.5Vdc, 2A, 13.0W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG0652000AU	Input: 100-240VAC 50/60Hz 0.6A Output: 6.5Vdc, 2A, 13.0W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG0720500	Input: 100-240VAC 50/60Hz 0.6A Output: 7.2Vdc, 0.5A, 3.6W

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to [www.jas-anz.org/register](http://www.jas-anz.org/register) for verification.



Certification Manager





global-mark®

# Certificate of Conformity

Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG0720500AU	Input: 100-240VAC 50/60Hz 0.6A Output: 7.2Vdc, 0.5A, 3.6W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG0720800	Input: 100-240VAC 50/60Hz 0.6A Output: 7.2Vdc, 0.8A, 5.76W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG0720800AU	Input: 100-240VAC 50/60Hz 0.6A Output: 7.2Vdc, 0.8A, 5.76W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG0721000	Input: 100-240VAC 50/60Hz 0.6A Output: 7.2Vdc, 1 A, 7.2W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG0721000AU	Input: 100-240VAC 50/60Hz 0.6A Output: 7.2Vdc, 1 A, 7.2W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG0721500	Input: 100-240VAC 50/60Hz 0.6A Output: 7.2Vdc, 1.5A, 10.8W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG0721500AU	Input: 100-240VAC 50/60Hz 0.6A Output: 7.2Vdc, 1.5A, 10.8W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG0730500	Input: 100-240VAC 50/60Hz 0.6A Output: 7.3Vdc, 0.5A, 3.65W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG0730500AU	Input: 100-240VAC 50/60Hz 0.6A Output: 7.3Vdc, 0.5A, 3.65W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG0730700	Input: 100-240VAC 50/60Hz 0.6A Output: 7.3Vdc, 0.7A, 5.11W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG0730700AU	Input: 100-240VAC 50/60Hz 0.6A Output: 7.3Vdc, 0.7A, 5.11W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG0731000	Input: 100-240VAC 50/60Hz 0.6A Output: 7.3Vdc, 1 A, 7.3W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG0731000AU	Input: 100-240VAC 50/60Hz 0.6A Output: 7.3Vdc, 1 A, 7.3W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG0731500	Input: 100-240VAC 50/60Hz 0.6A Output: 7.3Vdc, 1.5A, 10.95W

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to [www.jas-anz.org/register](http://www.jas-anz.org/register) for verification.



Certification Manager





# Certificate of Conformity

Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG0731500AU	Input: 100-240VAC 50/60Hz 0.6A Output: 7.3Vdc, 1.5A, 10.95W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG0732000	Input: 100-240VAC 50/60Hz 0.6A Output: 7.3Vdc, 2A, 14.6W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG0732000AU	Input: 100-240VAC 50/60Hz 0.6A Output: 7.3Vdc, 2A, 14.6W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG0750500	Input: 100-240VAC 50/60Hz 0.6A Output: 7.5Vdc, 0.5A, 3.75W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG0750500AU	Input: 100-240VAC 50/60Hz 0.6A Output: 7.5Vdc, 0.5A, 3.75W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG0751000	Input: 100-240VAC 50/60Hz 0.6A Output: 7.5Vdc, 1 A, 7.5W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG0751000AU	Input: 100-240VAC 50/60Hz 0.6A Output: 7.5Vdc, 1 A, 7.5W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG0751500	Input: 100-240VAC 50/60Hz 0.6A Output: 7.5Vdc, 1.5A, 11.25W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG0751500AU	Input: 100-240VAC 50/60Hz 0.6A Output: 7.5Vdc, 1.5A, 11.25W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG0840300	Input: 100-240VAC 50/60Hz 0.6A Output: 8.4Vdc, 0.3A, 2.52W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG0840300AU	Input: 100-240VAC 50/60Hz 0.6A Output: 8.4Vdc, 0.3A, 2.52W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG0840400	Input: 100-240VAC 50/60Hz 0.6A Output: 8.4Vdc, 0.4A, 3.36W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG0840400AU	Input: 100-240VAC 50/60Hz 0.6A Output: 8.4Vdc, 0.4A, 3.36W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG0840500	Input: 100-240VAC 50/60Hz 0.6A Output: 8.4Vdc, 0.5A, 4.2W

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to [www.jas-anz.org/register](http://www.jas-anz.org/register) for verification.



Certification Manager





global-mark®

# Certificate of Conformity

Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG0840500AU	Input: 100-240VAC 50/60Hz 0.6A Output: 8.4Vdc, 0.5A, 4.2W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG0840700	Input: 100-240VAC 50/60Hz 0.6A Output: 8.4Vdc, 0.7A, 5.88W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG0840700AU	Input: 100-240VAC 50/60Hz 0.6A Output: 8.4Vdc, 0.7A, 5.88W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG0841000	Input: 100-240VAC 50/60Hz 0.6A Output: 8.4Vdc, 1 A, 8.4W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG0841000AU	Input: 100-240VAC 50/60Hz 0.6A Output: 8.4Vdc, 1 A, 8.4W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG0841200	Input: 100-240VAC 50/60Hz 0.6A Output: 8.4Vdc, 1.2A, 10.08W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG0841200AU	Input: 100-240VAC 50/60Hz 0.6A Output: 8.4Vdc, 1.2A, 10.08W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG0841500	Input: 100-240VAC 50/60Hz 0.6A Output: 8.4Vdc, 1.5A, 12.6W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG0841500AU	Input: 100-240VAC 50/60Hz 0.6A Output: 8.4Vdc, 1.5A, 12.6W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG0841800	Input: 100-240VAC 50/60Hz 0.6A Output: 8.4Vdc, 1.8A, 15.12W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG0841800AU	Input: 100-240VAC 50/60Hz 0.6A Output: 8.4Vdc, 1.8A, 15.12W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG0900300	Input: 100-240VAC 50/60Hz 0.6A Output: 9.0Vdc, 0.3A, 2.7W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG0900300AU	Input: 100-240VAC 50/60Hz 0.6A Output: 9.0Vdc, 0.3A, 2.7W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG0900400	Input: 100-240VAC 50/60Hz 0.6A Output: 9.0Vdc, 0.4A, 3.6W

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to [www.jas-anz.org/register](http://www.jas-anz.org/register) for verification.



Certification Manager



JAS-ANZ



# Certificate of Conformity

Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG0900400AU	Input: 100-240VAC 50/60Hz 0.6A Output: 9.0Vdc, 0.4A, 3.6W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG0900500	Input: 100-240VAC 50/60Hz 0.6A Output: 9.0Vdc, 0.5A, 4.5W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG0900500AU	Input: 100-240VAC 50/60Hz 0.6A Output: 9.0Vdc, 0.5A, 4.5W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG0900600	Input: 100-240VAC 50/60Hz 0.6A Output: 9.0Vdc, 0.6A, 5.4W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG0900600AU	Input: 100-240VAC 50/60Hz 0.6A Output: 9.0Vdc, 0.6A, 5.4W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG0901000	Input: 100-240VAC 50/60Hz 0.6A Output: 9.0Vdc, 1 A, 9.0W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG0901000AU	Input: 100-240VAC 50/60Hz 0.6A Output: 9.0Vdc, 1 A, 9.0W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG0901200	Input: 100-240VAC 50/60Hz 0.6A Output: 9.0Vdc, 1.2A, 10.8W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG0901200AU	Input: 100-240VAC 50/60Hz 0.6A Output: 9.0Vdc, 1.2A, 10.8W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG0901500	Input: 100-240VAC 50/60Hz 0.6A Output: 9.0Vdc, 1.5A, 13.5W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG0901500AU	Input: 100-240VAC 50/60Hz 0.6A Output: 9.0Vdc, 1.5A, 13.5W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG0901750	Input: 100-240VAC 50/60Hz 0.6A Output: 9.0Vdc, 1.75A, 15.75W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG0901750AU	Input: 100-240VAC 50/60Hz 0.6A Output: 9.0Vdc, 1.75A, 15.75W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1000500	Input: 100-240VAC 50/60Hz 0.6A Output: 10.0Vdc, 0.5A, 5.0W

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to [www.jas-anz.org/register](http://www.jas-anz.org/register) for verification.



**Certification Manager**




# Certificate of Conformity

Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1000500AU	Input: 100-240VAC 50/60Hz 0.6A Output: 10.0Vdc, 0.5A, 5.0W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1000800	Input: 100-240VAC 50/60Hz 0.6A Output: 10.0Vdc, 0.8A, 8.0W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1000800AU	Input: 100-240VAC 50/60Hz 0.6A Output: 10.0Vdc, 0.8A, 8.0W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1001000	Input: 100-240VAC 50/60Hz 0.6A Output: 10.0Vdc, 1 A, 10.0W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1001000AU	Input: 100-240VAC 50/60Hz 0.6A Output: 10.0Vdc, 1 A, 10.0W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1001500	Input: 100-240VAC 50/60Hz 0.6A Output: 10.0Vdc, 1.5A, 15.0W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1001500AU	Input: 100-240VAC 50/60Hz 0.6A Output: 10.0Vdc, 1.5A, 15.0W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1100500	Input: 100-240VAC 50/60Hz 0.6A Output: 11.0Vdc, 0.5A, 5.5W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1100500AU	Input: 100-240VAC 50/60Hz 0.6A Output: 11.0Vdc, 0.5A, 5.5W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1100600	Input: 100-240VAC 50/60Hz 0.6A Output: 11.0Vdc, 0.6A, 6.6W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1100600AU	Input: 100-240VAC 50/60Hz 0.6A Output: 11.0Vdc, 0.6A, 6.6W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1101000	Input: 100-240VAC 50/60Hz 0.6A Output: 11.0Vdc, 1 A, 11.0W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1101000AU	Input: 100-240VAC 50/60Hz 0.6A Output: 11.0Vdc, 1 A, 11.0W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1200300	Input: 100-240VAC 50/60Hz 0.6A Output: 12.0Vdc, 0.3A, 3.6W

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to [www.jas-anz.org/register](http://www.jas-anz.org/register) for verification.



**Certification Manager**



# Certificate of Conformity

Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1200300AU	Input: 100-240VAC 50/60Hz 0.6A Output: 12.0Vdc, 0.3A, 3.6W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1200400	Input: 100-240VAC 50/60Hz 0.6A Output: 12.0Vdc, 0.4A, 4.8W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1200400AU	Input: 100-240VAC 50/60Hz 0.6A Output: 12.0Vdc, 0.4A, 4.8W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1200500	Input: 100-240VAC 50/60Hz 0.6A Output: 12.0Vdc, 0.5A, 6.0W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1200500AU	Input: 100-240VAC 50/60Hz 0.6A Output: 12.0Vdc, 0.5A, 6.0W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1200600	Input: 100-240VAC 50/60Hz 0.6A Output: 12.0Vdc, 0.6A, 7.2W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1200600AU	Input: 100-240VAC 50/60Hz 0.6A Output: 12.0Vdc, 0.6A, 7.2W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1200700	Input: 100-240VAC 50/60Hz 0.6A Output: 12.0Vdc, 0.7A, 8.4W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1200700AU	Input: 100-240VAC 50/60Hz 0.6A Output: 12.0Vdc, 0.7A, 8.4W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1200800	Input: 100-240VAC 50/60Hz 0.6A Output: 12.0Vdc, 0.8A, 9.6W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1200800AU	Input: 100-240VAC 50/60Hz 0.6A Output: 12.0Vdc, 0.8A, 9.6W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1200900	Input: 100-240VAC 50/60Hz 0.6A Output: 12.0Vdc, 0.9A, 10.8W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1200900AU	Input: 100-240VAC 50/60Hz 0.6A Output: 12.0Vdc, 0.9A, 10.8W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1201000	Input: 100-240VAC 50/60Hz 0.6A Output: 12.0Vdc, 1 A, 12.0W

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to [www.jas-anz.org/register](http://www.jas-anz.org/register) for verification.



**Certification Manager**

# Certificate of Conformity

Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1201000AU	Input: 100-240VAC 50/60Hz 0.6A Output: 12.0Vdc, 1 A, 12.0W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1201200	Input: 100-240VAC 50/60Hz 0.6A Output: 12.0Vdc, 1.2A, 14.4W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1201200AU	Input: 100-240VAC 50/60Hz 0.6A Output: 12.0Vdc, 1.2A, 14.4W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1201250	Input: 100-240VAC 50/60Hz 0.6A Output: 12.0Vdc, 1.25A, 15.0W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1201250AU	Input: 100-240VAC 50/60Hz 0.6A Output: 12.0Vdc, 1.25A, 15.0W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1201500	Input: 100-240VAC 50/60Hz 0.6A Output: 12.0Vdc, 1.2A, 18.0W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1201500AU	Input: 100-240VAC 50/60Hz 0.6A Output: 12.0Vdc, 1.2A, 18.0W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1260300	Input: 100-240VAC 50/60Hz 0.6A Output: 12.6Vdc, 0.3A, 3.8W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1260300AU	Input: 100-240VAC 50/60Hz 0.6A Output: 12.6Vdc, 0.3A, 3.8W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1260400	Input: 100-240VAC 50/60Hz 0.6A Output: 12.6Vdc, 0.4A, 5.04W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1260400AU	Input: 100-240VAC 50/60Hz 0.6A Output: 12.6Vdc, 0.4A, 5.04W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1260500	Input: 100-240VAC 50/60Hz 0.6A Output: 12.6Vdc, 0.5A, 6.3W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1260500AU	Input: 100-240VAC 50/60Hz 0.6A Output: 12.6Vdc, 0.5A, 6.3W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1260600	Input: 100-240VAC 50/60Hz 0.6A Output: 12.6Vdc, 0.6A, 7.56W

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to [www.jas-anz.org/register](http://www.jas-anz.org/register) for verification.



**Certification Manager**

# Certificate of Conformity

Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1260600AU	Input: 100-240VAC 50/60Hz 0.6A Output: 12.6Vdc, 0.6A, 7.56W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1260700	Input: 100-240VAC 50/60Hz 0.6A Output: 12.6Vdc, 0.7A, 8.82W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1260700AU	Input: 100-240VAC 50/60Hz 0.6A Output: 12.6Vdc, 0.7A, 8.82W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1260800	Input: 100-240VAC 50/60Hz 0.6A Output: 12.6Vdc, 0.8A, 10.08W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1260800AU	Input: 100-240VAC 50/60Hz 0.6A Output: 12.6Vdc, 0.8A, 10.08W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1260900	Input: 100-240VAC 50/60Hz 0.6A Output: 12.6Vdc, 0.9A, 11.34W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1260900AU	Input: 100-240VAC 50/60Hz 0.6A Output: 12.6Vdc, 0.9A, 11.34W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1261000	Input: 100-240VAC 50/60Hz 0.6A Output: 12.6Vdc, 1 A, 12.6W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1261000AU	Input: 100-240VAC 50/60Hz 0.6A Output: 12.6Vdc, 1 A, 12.6W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1261200	Input: 100-240VAC 50/60Hz 0.6A Output: 12.6Vdc, 1.2A, 15.12W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1261200AU	Input: 100-240VAC 50/60Hz 0.6A Output: 12.6Vdc, 1.2A, 15.12W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1261400	Input: 100-240VAC 50/60Hz 0.6A Output: 12.6Vdc, 1.4A, 17.64W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1261400AU	Input: 100-240VAC 50/60Hz 0.6A Output: 12.6Vdc, 1.4A, 17.64W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1300500	Input: 100-240VAC 50/60Hz 0.6A Output: 13.0Vdc, 0.5A, 6.5W

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to [www.jas-anz.org/register](http://www.jas-anz.org/register) for verification.



Certification Manager




# Certificate of Conformity

Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1300500AU	Input: 100-240VAC 50/60Hz 0.6A Output: 13.0Vdc, 0.5A, 6.5W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1301000	Input: 100-240VAC 50/60Hz 0.6A Output: 13.0Vdc, 1 A, 13.0W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1301000AU	Input: 100-240VAC 50/60Hz 0.6A Output: 13.0Vdc, 1 A, 13.0W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1301250	Input: 100-240VAC 50/60Hz 0.6A Output: 13.0Vdc, 1.25A, 16.25W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1301250AU	Input: 100-240VAC 50/60Hz 0.6A Output: 13.0Vdc, 1.25A, 16.25W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1350300	Input: 100-240VAC 50/60Hz 0.6A Output: 13.5Vdc, 0.3A, 4.05W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1350300AU	Input: 100-240VAC 50/60Hz 0.6A Output: 13.5Vdc, 0.3A, 4.05W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1350500	Input: 100-240VAC 50/60Hz 0.6A Output: 13.5Vdc, 0.5A, 6.75W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1350500AU	Input: 100-240VAC 50/60Hz 0.6A Output: 13.5Vdc, 0.5A, 6.75W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1350600	Input: 100-240VAC 50/60Hz 0.6A Output: 13.5Vdc, 0.6A, 8.1W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1350600AU	Input: 100-240VAC 50/60Hz 0.6A Output: 13.5Vdc, 0.6A, 8.1W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1350800	Input: 100-240VAC 50/60Hz 0.6A Output: 13.5Vdc, 0.8A, 10.8W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1350800AU	Input: 100-240VAC 50/60Hz 0.6A Output: 13.5Vdc, 0.8A, 10.8W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1350900	Input: 100-240VAC 50/60Hz 0.6A Output: 13.5Vdc, 0.9A, 12.15W

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to [www.jas-anz.org/register](http://www.jas-anz.org/register) for verification.



Certification Manager



# Certificate of Conformity

Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1350900AU	Input: 100-240VAC 50/60Hz 0.6A Output: 13.5Vdc, 0.9A, 12.15W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1351000	Input: 100-240VAC 50/60Hz 0.6A Output: 13.5Vdc, 1 A, 13.5W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1351000AU	Input: 100-240VAC 50/60Hz 0.6A Output: 13.5Vdc, 1 A, 13.5W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1351250	Input: 100-240VAC 50/60Hz 0.6A Output: 13.5Vdc, 1.25A, 16.875W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1351250AU	Input: 100-240VAC 50/60Hz 0.6A Output: 13.5Vdc, 1.25A, 16.875W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1400300	Input: 100-240VAC 50/60Hz 0.6A Output: 14.0Vdc, 0.3A, 4.2W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1400300AU	Input: 100-240VAC 50/60Hz 0.6A Output: 14.0Vdc, 0.3A, 4.2W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1400500	Input: 100-240VAC 50/60Hz 0.6A Output: 14.0Vdc, 0.5A, 7.0W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1400500AU	Input: 100-240VAC 50/60Hz 0.6A Output: 14.0Vdc, 0.5A, 7.0W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1400600	Input: 100-240VAC 50/60Hz 0.6A Output: 14.0Vdc, 0.6A, 8.4W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1400600AU	Input: 100-240VAC 50/60Hz 0.6A Output: 14.0Vdc, 0.6A, 8.4W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1400800	Input: 100-240VAC 50/60Hz 0.6A Output: 14.0Vdc, 0.8A, 11.2W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1400800AU	Input: 100-240VAC 50/60Hz 0.6A Output: 14.0Vdc, 0.8A, 11.2W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1400900	Input: 100-240VAC 50/60Hz 0.6A Output: 14.0Vdc, 0.9A, 12.6W

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to [www.jas-anz.org/register](http://www.jas-anz.org/register) for verification.



Certification Manager



# Certificate of Conformity

Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1400900AU	Input: 100-240VAC 50/60Hz 0.6A Output: 14.0Vdc, 0.9A, 12.6W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1401000	Input: 100-240VAC 50/60Hz 0.6A Output: 14.0Vdc, 1 A, 14.0W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1401000AU	Input: 100-240VAC 50/60Hz 0.6A Output: 14.0Vdc, 1 A, 14.0W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1401200	Input: 100-240VAC 50/60Hz 0.6A Output: 14.0Vdc, 1.2A, 16.8W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1401200AU	Input: 100-240VAC 50/60Hz 0.6A Output: 14.0Vdc, 1.2A, 16.8W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1401250	Input: 100-240VAC 50/60Hz 0.6A Output: 14.0Vdc, 1.25A, 17.5W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1401250AU	Input: 100-240VAC 50/60Hz 0.6A Output: 14.0Vdc, 1.25A, 17.5W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1460300	Input: 100-240VAC 50/60Hz 0.6A Output: 14.6Vdc, 0.3A, 4.38W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1460300AU	Input: 100-240VAC 50/60Hz 0.6A Output: 14.6Vdc, 0.3A, 4.38W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1460400	Input: 100-240VAC 50/60Hz 0.6A Output: 14.6Vdc, 0.4A, 5.84W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1460400AU	Input: 100-240VAC 50/60Hz 0.6A Output: 14.6Vdc, 0.4A, 5.84W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1460500	Input: 100-240VAC 50/60Hz 0.6A Output: 14.6Vdc, 0.5A, 7.3W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1460500AU	Input: 100-240VAC 50/60Hz 0.6A Output: 14.6Vdc, 0.5A, 7.3W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1460600	Input: 100-240VAC 50/60Hz 0.6A Output: 14.6Vdc, 0.6A, 8.76W

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to [www.jas-anz.org/register](http://www.jas-anz.org/register) for verification.



Certification Manager

# Certificate of Conformity

Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1460600AU	Input: 100-240VAC 50/60Hz 0.6A Output: 14.6Vdc, 0.6A, 8.76W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1460700	Input: 100-240VAC 50/60Hz 0.6A Output: 14.6Vdc, 0.7A, 10.22W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1460700AU	Input: 100-240VAC 50/60Hz 0.6A Output: 14.6Vdc, 0.7A, 10.22W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1460800	Input: 100-240VAC 50/60Hz 0.6A Output: 14.6Vdc, 0.8A, 11.68W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1460800AU	Input: 100-240VAC 50/60Hz 0.6A Output: 14.6Vdc, 0.8A, 11.68W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1460900	Input: 100-240VAC 50/60Hz 0.6A Output: 14.6Vdc, 0.9A, 13.14W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1460900AU	Input: 100-240VAC 50/60Hz 0.6A Output: 14.6Vdc, 0.9A, 13.14W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1461000	Input: 100-240VAC 50/60Hz 0.6A Output: 14.6Vdc, 1 A, 14.6W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1461000AU	Input: 100-240VAC 50/60Hz 0.6A Output: 14.6Vdc, 1 A, 14.6W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1461200	Input: 100-240VAC 50/60Hz 0.6A Output: 14.6Vdc, 1.2A, 17.52W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1461200AU	Input: 100-240VAC 50/60Hz 0.6A Output: 14.6Vdc, 1.2A, 17.52W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1500300	Input: 100-240VAC 50/60Hz 0.6A Output: 15.0Vdc, 0.3A, 4.5W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1500300AU	Input: 100-240VAC 50/60Hz 0.6A Output: 15.0Vdc, 0.3A, 4.5W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1500500	Input: 100-240VAC 50/60Hz 0.6A Output: 15.0Vdc, 0.5A, 7.5W

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to [www.jas-anz.org/register](http://www.jas-anz.org/register) for verification.



Certification Manager



# Certificate of Conformity

Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1500500AU	Input: 100-240VAC 50/60Hz 0.6A Output: 15.0Vdc, 0.5A, 7.5W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1500600	Input: 100-240VAC 50/60Hz 0.6A Output: 15.0Vdc, 0.6A, 9.0W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1500600AU	Input: 100-240VAC 50/60Hz 0.6A Output: 15.0Vdc, 0.6A, 9.0W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1500800	Input: 100-240VAC 50/60Hz 0.6A Output: 15.0Vdc, 0.8A, 12.0W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1500800AU	Input: 100-240VAC 50/60Hz 0.6A Output: 15.0Vdc, 0.8A, 12.0W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1500900	Input: 100-240VAC 50/60Hz 0.6A Output: 15.0Vdc, 0.9A, 13.5W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1500900AU	Input: 100-240VAC 50/60Hz 0.6A Output: 15.0Vdc, 0.9A, 13.5W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1501000	Input: 100-240VAC 50/60Hz 0.6A Output: 15.0Vdc, 1 A, 15.0W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1501000AU	Input: 100-240VAC 50/60Hz 0.6A Output: 15.0Vdc, 1 A, 15.0W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1501200	Input: 100-240VAC 50/60Hz 0.6A Output: 15.0Vdc, 1.2A, 18.0W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1501200AU	Input: 100-240VAC 50/60Hz 0.6A Output: 15.0Vdc, 1.2A, 18.0W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1600300	Input: 100-240VAC 50/60Hz 0.6A Output: 16.0Vdc, 0.3A, 4.8W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1600300AU	Input: 100-240VAC 50/60Hz 0.6A Output: 16.0Vdc, 0.3A, 4.8W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1600500	Input: 100-240VAC 50/60Hz 0.6A Output: 16.0Vdc, 0.5A, 8.0W

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to [www.jas-anz.org/register](http://www.jas-anz.org/register) for verification.



Certification Manager





# Certificate of Conformity

Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1600500AU	Input: 100-240VAC 50/60Hz 0.6A Output: 16.0Vdc, 0.5A, 8.0W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1600600	Input: 100-240VAC 50/60Hz 0.6A Output: 16.0Vdc, 0.6A, 9.6W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1600600AU	Input: 100-240VAC 50/60Hz 0.6A Output: 16.0Vdc, 0.6A, 9.6W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1600800	Input: 100-240VAC 50/60Hz 0.6A Output: 16.0Vdc, 0.8A, 12.8W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1600800AU	Input: 100-240VAC 50/60Hz 0.6A Output: 16.0Vdc, 0.8A, 12.8W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1600900	Input: 100-240VAC 50/60Hz 0.6A Output: 16.0Vdc, 0.9A, 14.4W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1600900AU	Input: 100-240VAC 50/60Hz 0.6A Output: 16.0Vdc, 0.9A, 14.4W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1601000	Input: 100-240VAC 50/60Hz 0.6A Output: 16.0Vdc, 1 A, 16.0W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1601000AU	Input: 100-240VAC 50/60Hz 0.6A Output: 16.0Vdc, 1 A, 16.0W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1620300	Input: 100-240VAC 50/60Hz 0.6A Output: 16.2Vdc, 0.3A, 4.86W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1620300AU	Input: 100-240VAC 50/60Hz 0.6A Output: 16.2Vdc, 0.3A, 4.86W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1620500	Input: 100-240VAC 50/60Hz 0.6A Output: 16.2Vdc, 0.5A, 8.1W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1620500AU	Input: 100-240VAC 50/60Hz 0.6A Output: 16.2Vdc, 0.5A, 8.1W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1620800	Input: 100-240VAC 50/60Hz 0.6A Output: 16.2Vdc, 0.8A, 12.96W

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to [www.jas-anz.org/register](http://www.jas-anz.org/register) for verification.



**Certification Manager**

# Certificate of Conformity

Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1620800AU	Input: 100-240VAC 50/60Hz 0.6A Output: 16.2Vdc, 0.8A, 12.96W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1620900	Input: 100-240VAC 50/60Hz 0.6A Output: 16.2Vdc, 0.9A, 14.58W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1620900AU	Input: 100-240VAC 50/60Hz 0.6A Output: 16.2Vdc, 0.9A, 14.58W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1621000	Input: 100-240VAC 50/60Hz 0.6A Output: 16.2Vdc, 1 A, 16.2W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1621000AU	Input: 100-240VAC 50/60Hz 0.6A Output: 16.2Vdc, 1 A, 16.2W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1680300	Input: 100-240VAC 50/60Hz 0.6A Output: 16.8Vdc, 0.3A, 5.04W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1680300AU	Input: 100-240VAC 50/60Hz 0.6A Output: 16.8Vdc, 0.3A, 5.04W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1680400	Input: 100-240VAC 50/60Hz 0.6A Output: 16.8Vdc, 0.4A, 6.72W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1680400AU	Input: 100-240VAC 50/60Hz 0.6A Output: 16.8Vdc, 0.4A, 6.72W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1680500	Input: 100-240VAC 50/60Hz 0.6A Output: 16.8Vdc, 0.5A, 8.4W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1680500AU	Input: 100-240VAC 50/60Hz 0.6A Output: 16.8Vdc, 0.5A, 8.4W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1680600	Input: 100-240VAC 50/60Hz 0.6A Output: 16.8Vdc, 0.6A, 10.08W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1680600AU	Input: 100-240VAC 50/60Hz 0.6A Output: 16.8Vdc, 0.6A, 10.08W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1680700	Input: 100-240VAC 50/60Hz 0.6A Output: 16.8Vdc, 0.7A, 11.76W

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to [www.jas-anz.org/register](http://www.jas-anz.org/register) for verification.



**Certification Manager**



# Certificate of Conformity

Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1680700AU	Input: 100-240VAC 50/60Hz 0.6A Output: 16.8Vdc, 0.7A, 11.76W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1680800	Input: 100-240VAC 50/60Hz 0.6A Output: 16.8Vdc, 0.8A, 13.44W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1680800AU	Input: 100-240VAC 50/60Hz 0.6A Output: 16.8Vdc, 0.8A, 13.44W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1680900	Input: 100-240VAC 50/60Hz 0.6A Output: 16.8Vdc, 0.9A, 15.12W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1680900AU	Input: 100-240VAC 50/60Hz 0.6A Output: 16.8Vdc, 0.9A, 15.12W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1681000	Input: 100-240VAC 50/60Hz 0.6A Output: 16.8Vdc, 1 A, 16.8W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1681000AU	Input: 100-240VAC 50/60Hz 0.6A Output: 16.8Vdc, 1 A, 16.8W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1700300	Input: 100-240VAC 50/60Hz 0.6A Output: 17.0Vdc, 0.3A, 5.1W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1700300AU	Input: 100-240VAC 50/60Hz 0.6A Output: 17.0Vdc, 0.3A, 5.1W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1700500	Input: 100-240VAC 50/60Hz 0.6A Output: 17.0Vdc, 0.5A, 8.5W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1700500AU	Input: 100-240VAC 50/60Hz 0.6A Output: 17.0Vdc, 0.5A, 8.5W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1700600	Input: 100-240VAC 50/60Hz 0.6A Output: 17.0Vdc, 0.6A, 10.2W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1700600AU	Input: 100-240VAC 50/60Hz 0.6A Output: 17.0Vdc, 0.6A, 10.2W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1700800	Input: 100-240VAC 50/60Hz 0.6A Output: 17.0Vdc, 0.8A, 13.6W

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to [www.jas-anz.org/register](http://www.jas-anz.org/register) for verification.



**Certification Manager**



# Certificate of Conformity

Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1700800AU	Input: 100-240VAC 50/60Hz 0.6A Output: 17.0Vdc, 0.8A, 13.6W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1700900	Input: 100-240VAC 50/60Hz 0.6A Output: 17.0Vdc, 0.9A, 15.3W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1700900AU	Input: 100-240VAC 50/60Hz 0.6A Output: 17.0Vdc, 0.9A, 15.3W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1701000	Input: 100-240VAC 50/60Hz 0.6A Output: 17.0Vdc, 1 A, 17.0W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1701000AU	Input: 100-240VAC 50/60Hz 0.6A Output: 17.0Vdc, 1 A, 17.0W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1800300	Input: 100-240VAC 50/60Hz 0.6A Output: 18.0Vdc, 0.3A, 5.4W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1800300AU	Input: 100-240VAC 50/60Hz 0.6A Output: 18.0Vdc, 0.3A, 5.4W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1800400	Input: 100-240VAC 50/60Hz 0.6A Output: 18.0Vdc, 0.4A, 7.2W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1800400AU	Input: 100-240VAC 50/60Hz 0.6A Output: 18.0Vdc, 0.4A, 7.2W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1800500	Input: 100-240VAC 50/60Hz 0.6A Output: 18.0Vdc, 0.5A, 9.0W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1800500AU	Input: 100-240VAC 50/60Hz 0.6A Output: 18.0Vdc, 0.5A, 9.0W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1800600	Input: 100-240VAC 50/60Hz 0.6A Output: 18.0Vdc, 0.6A, 10.8W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1800600AU	Input: 100-240VAC 50/60Hz 0.6A Output: 18.0Vdc, 0.6A, 10.8W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1800700	Input: 100-240VAC 50/60Hz 0.6A Output: 18.0Vdc, 0.7A, 12.6W

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to [www.jas-anz.org/register](http://www.jas-anz.org/register) for verification.



Certification Manager





global-mark®

# Certificate of Conformity

Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1800700AU	Input: 100-240VAC 50/60Hz 0.6A Output: 18.0Vdc, 0.7A, 12.6W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1800800	Input: 100-240VAC 50/60Hz 0.6A Output: 18.0Vdc, 0.8A, 14.4W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1800800AU	Input: 100-240VAC 50/60Hz 0.6A Output: 18.0Vdc, 0.8A, 14.4W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1800900	Input: 100-240VAC 50/60Hz 0.6A Output: 18.0Vdc, 0.9A, 16.2W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1800900AU	Input: 100-240VAC 50/60Hz 0.6A Output: 18.0Vdc, 0.9A, 16.2W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1801000	Input: 100-240VAC 50/60Hz 0.6A Output: 18.0Vdc, 1 A, 18.0W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1801000AU	Input: 100-240VAC 50/60Hz 0.6A Output: 18.0Vdc, 1 A, 18.0W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1830300	Input: 100-240VAC 50/60Hz 0.6A Output: 18.3Vdc, 0.3A, 5.49W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1830300AU	Input: 100-240VAC 50/60Hz 0.6A Output: 18.3Vdc, 0.3A, 5.49W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1830500	Input: 100-240VAC 50/60Hz 0.6A Output: 18.3Vdc, 0.5A, 9.15W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1830500AU	Input: 100-240VAC 50/60Hz 0.6A Output: 18.3Vdc, 0.5A, 9.15W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1830600	Input: 100-240VAC 50/60Hz 0.6A Output: 18.3Vdc, 0.6A, 10.98W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1830600AU	Input: 100-240VAC 50/60Hz 0.6A Output: 18.3Vdc, 0.6A, 10.98W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1830800	Input: 100-240VAC 50/60Hz 0.6A Output: 18.3Vdc, 0.8A, 14.64W

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to [www.jas-anz.org/register](http://www.jas-anz.org/register) for verification.



Certification Manager



# Certificate of Conformity

Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1830800AU	Input: 100-240VAC 50/60Hz 0.6A Output: 18.3Vdc, 0.8A, 14.64W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1830900	Input: 100-240VAC 50/60Hz 0.6A Output: 18.3Vdc, 0.9A, 16.47W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1830900AU	Input: 100-240VAC 50/60Hz 0.6A Output: 18.3Vdc, 0.9A, 16.47W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1900300	Input: 100-240VAC 50/60Hz 0.6A Output: 19.0Vdc, 0.3A, 5.7W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1900300AU	Input: 100-240VAC 50/60Hz 0.6A Output: 19.0Vdc, 0.3A, 5.7W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1900500	Input: 100-240VAC 50/60Hz 0.6A Output: 19.0Vdc, 0.5A, 9.5W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1900500AU	Input: 100-240VAC 50/60Hz 0.6A Output: 19.0Vdc, 0.5A, 9.5W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1900600	Input: 100-240VAC 50/60Hz 0.6A Output: 19.0Vdc, 0.6A, 11.4W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1900600AU	Input: 100-240VAC 50/60Hz 0.6A Output: 19.0Vdc, 0.6A, 11.4W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1900800	Input: 100-240VAC 50/60Hz 0.6A Output: 19.0Vdc, 0.8A, 15.2W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1900800AU	Input: 100-240VAC 50/60Hz 0.6A Output: 19.0Vdc, 0.8A, 15.2W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1900900	Input: 100-240VAC 50/60Hz 0.6A Output: 19.0Vdc, 0.9A, 17.1W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1900900AU	Input: 100-240VAC 50/60Hz 0.6A Output: 19.0Vdc, 0.9A, 17.1W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1950300	Input: 100-240VAC 50/60Hz 0.6A Output: 19.5Vdc, 0.3A, 5.85W

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to [www.jas-anz.org/register](http://www.jas-anz.org/register) for verification.



**Certification Manager**

# Certificate of Conformity

Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1950300AU	Input: 100-240VAC 50/60Hz 0.6A Output: 19.5Vdc, 0.3A, 5.85W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1950500	Input: 100-240VAC 50/60Hz 0.6A Output: 19.5Vdc, 0.5A, 9.75W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1950500AU	Input: 100-240VAC 50/60Hz 0.6A Output: 19.5Vdc, 0.5A, 9.75W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1950700	Input: 100-240VAC 50/60Hz 0.6A Output: 19.5Vdc, 0.7A, 13.65W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1950700AU	Input: 100-240VAC 50/60Hz 0.6A Output: 19.5Vdc, 0.7A, 13.65W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1950800	Input: 100-240VAC 50/60Hz 0.6A Output: 19.5Vdc, 0.8A, 15.6W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1950800AU	Input: 100-240VAC 50/60Hz 0.6A Output: 19.5Vdc, 0.8A, 15.6W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1950900	Input: 100-240VAC 50/60Hz 0.6A Output: 19.5Vdc, 0.9A, 17.55W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG1950900AU	Input: 100-240VAC 50/60Hz 0.6A Output: 19.5Vdc, 0.9A, 17.55W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG2000300	Input: 100-240VAC 50/60Hz 0.6A Output: 20.0Vdc, 0.3A, 6.0W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG2000300AU	Input: 100-240VAC 50/60Hz 0.6A Output: 20.0Vdc, 0.3A, 6.0W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG2000500	Input: 100-240VAC 50/60Hz 0.6A Output: 20.0Vdc, 0.5A, 10.0W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG2000500AU	Input: 100-240VAC 50/60Hz 0.6A Output: 20.0Vdc, 0.5A, 10.0W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG2000600	Input: 100-240VAC 50/60Hz 0.6A Output: 20.0Vdc, 0.6A, 12.0W

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to [www.jas-anz.org/register](http://www.jas-anz.org/register) for verification.



**Certification Manager**

# Certificate of Conformity

Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG2000600AU	Input: 100-240VAC 50/60Hz 0.6A Output: 20.0Vdc, 0.6A, 12.0W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG2000800	Input: 100-240VAC 50/60Hz 0.6A Output: 20.0Vdc, 0.8A, 16.0W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG2000800AU	Input: 100-240VAC 50/60Hz 0.6A Output: 20.0Vdc, 0.8A, 16.0W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG2000900	Input: 100-240VAC 50/60Hz 0.6A Output: 20.0Vdc, 0.9A, 18.0W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG2000900AU	Input: 100-240VAC 50/60Hz 0.6A Output: 20.0Vdc, 0.9A, 18.0W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG2100300	Input: 100-240VAC 50/60Hz 0.6A Output: 21.0Vdc, 0.3A, 6.3W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG2100300AU	Input: 100-240VAC 50/60Hz 0.6A Output: 21.0Vdc, 0.3A, 6.3W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG2100500	Input: 100-240VAC 50/60Hz 0.6A Output: 21.0Vdc, 0.5A, 10.5W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG2100500AU	Input: 100-240VAC 50/60Hz 0.6A Output: 21.0Vdc, 0.5A, 10.5W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG2100600	Input: 100-240VAC 50/60Hz 0.6A Output: 21.0Vdc, 0.6A, 12.6W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG2100600AU	Input: 100-240VAC 50/60Hz 0.6A Output: 21.0Vdc, 0.6A, 12.6W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG2100800	Input: 100-240VAC 50/60Hz 0.6A Output: 21.0Vdc, 0.8A, 16.8W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG2100800AU	Input: 100-240VAC 50/60Hz 0.6A Output: 21.0Vdc, 0.8A, 16.8W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG2200300	Input: 100-240VAC 50/60Hz 0.6A Output: 22.0Vdc, 0.3A, 6.6W

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to [www.jas-anz.org/register](http://www.jas-anz.org/register) for verification.



**Certification Manager**






# Certificate of Conformity

Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG2200300AU	Input: 100-240VAC 50/60Hz 0.6A Output: 22.0Vdc, 0.3A, 6.6W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG2200500	Input: 100-240VAC 50/60Hz 0.6A Output: 22.0Vdc, 0.5A, 11.0W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG2200500AU	Input: 100-240VAC 50/60Hz 0.6A Output: 22.0Vdc, 0.5A, 11.0W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG2200600	Input: 100-240VAC 50/60Hz 0.6A Output: 22.0Vdc, 0.6A, 13.2W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG2200600AU	Input: 100-240VAC 50/60Hz 0.6A Output: 22.0Vdc, 0.6A, 13.2W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG2200800	Input: 100-240VAC 50/60Hz 0.6A Output: 22.0Vdc, 0.8A, 17.6W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG2200800AU	Input: 100-240VAC 50/60Hz 0.6A Output: 22.0Vdc, 0.8A, 17.6W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG2250300	Input: 100-240VAC 50/60Hz 0.6A Output: 22.5Vdc, 0.3A, 6.75W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG2250300AU	Input: 100-240VAC 50/60Hz 0.6A Output: 22.5Vdc, 0.3A, 6.75W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG2250500	Input: 100-240VAC 50/60Hz 0.6A Output: 22.5Vdc, 0.5A, 11.25W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG2250500AU	Input: 100-240VAC 50/60Hz 0.6A Output: 22.5Vdc, 0.5A, 11.25W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG2250800	Input: 100-240VAC 50/60Hz 0.6A Output: 22.5Vdc, 0.8A, 18.0W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG2250800AU	Input: 100-240VAC 50/60Hz 0.6A Output: 22.5Vdc, 0.8A, 18.0W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG2400300	Input: 100-240VAC 50/60Hz 0.6A Output: 24.0Vdc, 0.3A, 7.2W

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to [www.jas-anz.org/register](http://www.jas-anz.org/register) for verification.



**Certification Manager**

# Certificate of Conformity

Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG2400300AU	Input: 100-240VAC 50/60Hz 0.6A Output: 24.0Vdc, 0.3A, 7.2W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG2400380	Input: 100-240VAC 50/60Hz 0.6A Output: 24.0Vdc, 0.38A, 9.12W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG2400380AU	Input: 100-240VAC 50/60Hz 0.6A Output: 24.0Vdc, 0.38A, 9.12W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG2400500	Input: 100-240VAC 50/60Hz 0.6A Output: 24.0Vdc, 0.5A, 12.0W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG2400500AU	Input: 100-240VAC 50/60Hz 0.6A Output: 24.0Vdc, 0.5A, 12.0W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG2400600	Input: 100-240VAC 50/60Hz 0.6A Output: 24.0Vdc, 0.6A, 14.4W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG2400600AU	Input: 100-240VAC 50/60Hz 0.6A Output: 24.0Vdc, 0.6A, 14.4W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG2520300	Input: 100-240VAC 50/60Hz 0.6A Output: 25.2Vdc, 0.3A, 7.56W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG2520300AU	Input: 100-240VAC 50/60Hz 0.6A Output: 25.2Vdc, 0.3A, 7.56W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG2520500	Input: 100-240VAC 50/60Hz 0.6A Output: 25.2Vdc, 0.5A, 12.6W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG2520500AU	Input: 100-240VAC 50/60Hz 0.6A Output: 25.2Vdc, 0.5A, 12.6W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG2520600	Input: 100-240VAC 50/60Hz 0.6A Output: 25.2Vdc, 0.6A, 15.12W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG2520600AU	Input: 100-240VAC 50/60Hz 0.6A Output: 25.2Vdc, 0.6A, 15.12W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG2520700	Input: 100-240VAC 50/60Hz 0.6A Output: 25.2Vdc, 0.7A, 17.64W

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to [www.jas-anz.org/register](http://www.jas-anz.org/register) for verification.



**Certification Manager**



global-mark®

# Certificate of Conformity

Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG2520700AU	Input: 100-240VAC 50/60Hz 0.6A Output: 25.2Vdc, 0.7A, 17.64W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG2550300	Input: 100-240VAC 50/60Hz 0.6A Output: 25.2Vdc, 0.3A, 7.65W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG2550300AU	Input: 100-240VAC 50/60Hz 0.6A Output: 25.2Vdc, 0.3A, 7.65W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG2550500	Input: 100-240VAC 50/60Hz 0.6A Output: 25.2Vdc, 0.5A, 12.75W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG2550500AU	Input: 100-240VAC 50/60Hz 0.6A Output: 25.2Vdc, 0.5A, 12.75W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG2550600	Input: 100-240VAC 50/60Hz 0.6A Output: 25.2Vdc, 0.6A, 15.3W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG2550600AU	Input: 100-240VAC 50/60Hz 0.6A Output: 25.2Vdc, 0.6A, 15.3W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG2550700	Input: 100-240VAC 50/60Hz 0.6A Output: 25.2Vdc, 0.7A, 17.85W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG2550700AU	Input: 100-240VAC 50/60Hz 0.6A Output: 25.2Vdc, 0.7A, 17.85W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG2700300	Input: 100-240VAC 50/60Hz 0.6A Output: 27.0Vdc, 0.3A, 8.1W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG2700300AU	Input: 100-240VAC 50/60Hz 0.6A Output: 27.0Vdc, 0.3A, 8.1W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG2700500	Input: 100-240VAC 50/60Hz 0.6A Output: 27.0Vdc, 0.5A, 13.5W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG2700500AU	Input: 100-240VAC 50/60Hz 0.6A Output: 27.0Vdc, 0.5A, 13.5W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG2700600	Input: 100-240VAC 50/60Hz 0.6A Output: 27.0Vdc, 0.6A, 16.2W

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to [www.jas-anz.org/register](http://www.jas-anz.org/register) for verification.



Certification Manager



# Certificate of Conformity

Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG2700600AU	Input: 100-240VAC 50/60Hz 0.6A Output: 27.0Vdc, 0.6A, 16.2W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG2800300	Input: 100-240VAC 50/60Hz 0.6A Output: 28.0Vdc, 0.3A, 8.4W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG2800300AU	Input: 100-240VAC 50/60Hz 0.6A Output: 28.0Vdc, 0.3A, 8.4W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG2800500	Input: 100-240VAC 50/60Hz 0.6A Output: 28.0Vdc, 0.5A, 14.0W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG2800500AU	Input: 100-240VAC 50/60Hz 0.6A Output: 28.0Vdc, 0.5A, 14.0W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG2800600	Input: 100-240VAC 50/60Hz 0.6A Output: 28.0Vdc, 0.6A, 16.8W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG2800600AU	Input: 100-240VAC 50/60Hz 0.6A Output: 28.0Vdc, 0.6A, 16.8W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG2900300	Input: 100-240VAC 50/60Hz 0.6A Output: 29.0Vdc, 0.3A, 8.7W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG2900300AU	Input: 100-240VAC 50/60Hz 0.6A Output: 29.0Vdc, 0.3A, 8.7W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG2900500	Input: 100-240VAC 50/60Hz 0.6A Output: 29.0Vdc, 0.5A, 14.5W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG2900500AU	Input: 100-240VAC 50/60Hz 0.6A Output: 29.0Vdc, 0.5A, 14.5W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG2900600	Input: 100-240VAC 50/60Hz 0.6A Output: 29.0Vdc, 0.6A, 17.4W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG2900600AU	Input: 100-240VAC 50/60Hz 0.6A Output: 29.0Vdc, 0.6A, 17.4W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG2920300	Input: 100-240VAC 50/60Hz 0.6A Output: 29.2Vdc, 0.3A, 8.76W

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to [www.jas-anz.org/register](http://www.jas-anz.org/register) for verification.



**Certification Manager**





# Certificate of Conformity

Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG2920300AU	Input: 100-240VAC 50/60Hz 0.6A Output: 29.2Vdc, 0.3A, 8.76W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG2920400	Input: 100-240VAC 50/60Hz 0.6A Output: 29.2Vdc, 0.4A, 11.68W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG2920400AU	Input: 100-240VAC 50/60Hz 0.6A Output: 29.2Vdc, 0.4A, 11.68W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG2920500	Input: 100-240VAC 50/60Hz 0.6A Output: 29.2Vdc, 0.5A, 14.6W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG2920500AU	Input: 100-240VAC 50/60Hz 0.6A Output: 29.2Vdc, 0.5A, 14.6W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG2920600	Input: 100-240VAC 50/60Hz 0.6A Output: 29.2Vdc, 0.6A, 17.52W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG2920600AU	Input: 100-240VAC 50/60Hz 0.6A Output: 29.2Vdc, 0.6A, 17.52W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG2940300	Input: 100-240VAC 50/60Hz 0.6A Output: 29.4Vdc, 0.3A, 8.82W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG2940300AU	Input: 100-240VAC 50/60Hz 0.6A Output: 29.4Vdc, 0.3A, 8.82W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG2940400	Input: 100-240VAC 50/60Hz 0.6A Output: 29.4Vdc, 0.4A, 11.76W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG2940400AU	Input: 100-240VAC 50/60Hz 0.6A Output: 29.4Vdc, 0.4A, 11.76W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG2940500	Input: 100-240VAC 50/60Hz 0.6A Output: 29.4Vdc, 0.5A, 14.7W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG2940500AU	Input: 100-240VAC 50/60Hz 0.6A Output: 29.4Vdc, 0.5A, 14.7W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG2940600	Input: 100-240VAC 50/60Hz 0.6A Output: 29.4Vdc, 0.6A, 17.64W

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to [www.jas-anz.org/register](http://www.jas-anz.org/register) for verification.



**Certification Manager**



global-mark®

# Certificate of Conformity

Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG2940600AU	Input: 100-240VAC 50/60Hz 0.6A Output: 29.4Vdc, 0.6A, 17.64W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG3000300	Input: 100-240VAC 50/60Hz 0.6A Output: 30.0Vdc, 0.3A, 9.0W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG3000300AU	Input: 100-240VAC 50/60Hz 0.6A Output: 30.0Vdc, 0.3A, 9.0W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG3000500	Input: 100-240VAC 50/60Hz 0.6A Output: 30.0Vdc, 0.5A, 15.0W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG3000500AU	Input: 100-240VAC 50/60Hz 0.6A Output: 30.0Vdc, 0.5A, 15.0W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG3000600	Input: 100-240VAC 50/60Hz 0.6A Output: 30.0Vdc, 0.6A, 18.0W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG3000600AU	Input: 100-240VAC 50/60Hz 0.6A Output: 30.0Vdc, 0.6A, 18.0W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG3200300	Input: 100-240VAC 50/60Hz 0.6A Output: 32.0Vdc, 0.3A, 9.6W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG3200300AU	Input: 100-240VAC 50/60Hz 0.6A Output: 32.0Vdc, 0.3A, 9.6W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG3200400	Input: 100-240VAC 50/60Hz 0.6A Output: 32.0Vdc, 0.4A, 12.8W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG3200400AU	Input: 100-240VAC 50/60Hz 0.6A Output: 32.0Vdc, 0.4A, 12.8W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG3200500	Input: 100-240VAC 50/60Hz 0.6A Output: 32.0Vdc, 0.5A, 16.0W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG3200500AU	Input: 100-240VAC 50/60Hz 0.6A Output: 32.0Vdc, 0.5A, 16.0W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG3300500	Input: 100-240VAC 50/60Hz 0.6A Output: 33.0Vdc, 0.5A, 16.5W

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to [www.jas-anz.org/register](http://www.jas-anz.org/register) for verification.



Certification Manager



# Certificate of Conformity

Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG3300500AU	Input: 100-240VAC 50/60Hz 0.6A Output: 33.0Vdc, 0.5A, 16.5W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG3360300	Input: 100-240VAC 50/60Hz 0.6A Output: 33.6Vdc, 0.3A, 10.08W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG3360300AU	Input: 100-240VAC 50/60Hz 0.6A Output: 33.6Vdc, 0.3A, 10.08W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG3360500	Input: 100-240VAC 50/60Hz 0.6A Output: 33.6Vdc, 0.5A, 16.8W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG3360500AU	Input: 100-240VAC 50/60Hz 0.6A Output: 33.6Vdc, 0.5A, 16.8W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG3400300	Input: 100-240VAC 50/60Hz 0.6A Output: 34.0Vdc, 0.3A, 10.2W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG3400300AU	Input: 100-240VAC 50/60Hz 0.6A Output: 34.0Vdc, 0.3A, 10.2W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG3400500	Input: 100-240VAC 50/60Hz 0.6A Output: 34.0Vdc, 0.5A, 17.0W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG3400500AU	Input: 100-240VAC 50/60Hz 0.6A Output: 34.0Vdc, 0.5A, 17.0W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG3500300	Input: 100-240VAC 50/60Hz 0.6A Output: 35.0Vdc, 0.3A, 10.5W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG3500300AU	Input: 100-240VAC 50/60Hz 0.6A Output: 35.0Vdc, 0.3A, 10.5W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG3500500	Input: 100-240VAC 50/60Hz 0.6A Output: 35.0Vdc, 0.5A, 17.5W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG3500500AU	Input: 100-240VAC 50/60Hz 0.6A Output: 35.0Vdc, 0.5A, 17.5W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co.,Limited	XSG3600300	Input: 100-240VAC 50/60Hz 0.6A Output: 36.0Vdc, 0.3A, 10.8W

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to [www.jas-anz.org/register](http://www.jas-anz.org/register) for verification.



**Certification Manager**

# Certificate of Conformity

Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co., Limited	XSG3600300AU	Input: 100-240VAC 50/60Hz 0.6A Output: 36.0Vdc, 0.3A, 10.8W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co., Limited	XSG3600400	Input: 100-240VAC 50/60Hz 0.6A Output: 36.0Vdc, 0.4A, 14.4W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co., Limited	XSG3600400AU	Input: 100-240VAC 50/60Hz 0.6A Output: 36.0Vdc, 0.4A, 14.4W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co., Limited	XSG3600500	Input: 100-240VAC 50/60Hz 0.6A Output: 36.0Vdc, 0.5A, 18.0W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co., Limited	XSG3600500AU	Input: 100-240VAC 50/60Hz 0.6A Output: 36.0Vdc, 0.5A, 18.0W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co., Limited	XSG3650300	Input: 100-240VAC 50/60Hz 0.6A Output: 36.5Vdc, 0.3A, 10.95W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co., Limited	XSG3650300AU	Input: 100-240VAC 50/60Hz 0.6A Output: 36.5Vdc, 0.3A, 10.95W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co., Limited	XSG3650500	Input: 100-240VAC 50/60Hz 0.6A Output: 36.5Vdc, 0.5A, 18.25W
Power Supply or Charger	SWITCHING POWER SUPPLY/ CHARGER	Xinsu Global Electronic Co., Limited	XSG3650500AU	Input: 100-240VAC 50/60Hz 0.6A Output: 36.5Vdc, 0.5A, 18.25W

**RELEVANT TRADEMARK (S)**

**COMMENTS OR CONDITIONS ON THE CERTIFICATION**

**End of document**

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to [www.jas-anz.org/register](http://www.jas-anz.org/register) for verification.



**Certification Manager**