

Certificate of Conformity

Global-Mark Pty. Ltd., certify the electrical equipment described hereunder complies with standards listed herein and notifies the certificate holder to affix the authorised Approval Mark on the product of the same type and the Regulatory Compliance Mark (RCM) mark provided that the requirements of all relevant parts of AS/NZS 4417 applicable to the article are fulfilled. In placing the Approval and RCM mark on the product, the Responsible Supplier makes a declaration of compliance with the certification standard(s) and confirms that the product is identical to the product certified herein. – This Certificate meets the requirements of a Recognised External Certification Scheme (EESS- RECS) and a Recognised External Approval Scheme (NSW-REAS).

CERTIFICATION AND CERTIFICATE HOLDER DETAILS

Company Name	Xinsu Global Electronic Co.,Limited	Other Name	
Address	Unit 2508A 25/F Of America Tower, 12 Harcourt Road, Central - - Hong Kong		
Client ID	108463	Global-Mark File Number:	108463-001
Certificate Number & Approval Mark	GMA-512631-EA	Revision Number	01
Certification Standard(s)	AS/NZS 60335.2.29:2017 including A1 & AS/NZS 60335.1:2020 Household and similar electrical appliances - Safety - - Particular requirements for battery chargers		
Type of Certification	Electrical Safety Product	Scheme	Global-Mark Electrical Product Safety Certification Scheme

System 1 Approval

CERTIFICATE DATES

Certificate Issue Date	9/06/2022
Certificate Last Update Date	21/06/2022
Certification Expiry Date	9/06/2027

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager

Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia



Certificate of Conformity

CERTIFIED ELECTRICAL EQUIPMENT				
Declared Article	Product Description	Trade Name	Model Number	Rating
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG0508000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:5Vdc, 8A, 40W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG0509000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:5Vdc, 9A, 45W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG0507000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:5Vdc, 7A, 35W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG1109000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:11Vdc, 9A, 99W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG1108000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:11Vdc, 8A, 88W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG2103000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:21Vdc, 3A, 63W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG1505000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:15Vdc, 5A, 75W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG1506000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:15Vdc, 6A, 90W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG1106000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:11Vdc, 6A, 66W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG1107000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:11Vdc, 7A, 77W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG4202000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:42Vdc, 2A, 84W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG1709000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:17Vdc, 9A, 153W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG1708000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:17Vdc, 8A, 136W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG2106000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:21Vdc, 6A, 126W,

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager

Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia



Certificate of Conformity

Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG0425000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:4.2Vdc, 5A, 21W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG2105000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:21Vdc, 5A, 105W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG05010000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:5Vdc, 10A, 50W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG0845000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:8.4Vdc, 5A, 42W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG1509000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:15Vdc, 9A, 135W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG1507000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:15Vdc, 7A, 105W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG1508000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:15Vdc, 8A, 120W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG4204000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:42Vdc, 4A, 168W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG5103000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:51Vdc, 3A, 153W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG4205000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:42Vdc, 5A, 210W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG3005000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:30Vdc, 5A, 150W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG4203000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:42Vdc, 3A, 126W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG3006000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:30Vdc, 6A, 180W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG6302000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:63Vdc, 2A, 126W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG7302000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:73Vdc, 2A, 146W,

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager

Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia



Certificate of Conformity

Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG6303000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:63Vdc, 3A, 189W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG5104000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:51Vdc, 4A, 204W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG6203000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:62Vdc, 3A, 186W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG6202000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:62Vdc, 2A, 124W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG2206000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:22Vdc, 6A, 132W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG2208000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:22Vdc, 8A, 176W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG2207000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:22Vdc, 7A, 154W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG2107000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:21Vdc, 7A, 147W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG2109000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:21Vdc, 9A, 189W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG2108000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:21Vdc, 8A, 168W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG2905000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:29Vdc, 5A, 145W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG2907000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:29Vdc, 7A, 203W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG2906000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:29Vdc, 6A, 174W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG2805000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:28Vdc, 5A, 140W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG2807000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:28Vdc, 7A, 196W,

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager

Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia



Certificate of Conformity

Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG2806000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:28Vdc, 6A, 168W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG3652000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:36.5Vdc, 2A, 73W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG1465000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:14.6Vdc, 5A, 73W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG1385000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:13.8Vdc, 5A, 69W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG1265000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:12.6Vdc, 5A, 63W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG1685000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:16.8Vdc, 5A, 84W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG2558000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:25.5Vdc, 8A, 204W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG4204500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:42Vdc, 4.5A, 189W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG2804500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:28Vdc, 4.5A, 126W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG0848000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:8.4Vdc, 8A, 67.2W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG0849000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:8.4Vdc, 9A, 75.6W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG2556000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:25.5Vdc, 6A, 153W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG2806500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:28Vdc, 6.5A, 182W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG2208500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:22Vdc, 8.5A, 187W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG08410000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:8.4Vdc, 10A, 84W,

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager

Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia



Certificate of Conformity

Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG2256000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:22.5Vdc, 6A, 135W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG2805500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:28Vdc, 5.5A, 154W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG2207500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:22Vdc, 7.5A, 165W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG2206500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:22Vdc, 6.5A, 143W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG2258000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:22.5Vdc, 8A, 180W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG04210000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:4.2Vdc, 10A, 42W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG2525000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:25.2Vdc, 5A, 126W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG0509500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:5Vdc, 9.5A, 47.5W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG0738000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:7.3Vdc, 8A, 58.4W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG0508500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:5Vdc, 8.5A, 42.5W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG0739000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:7.3Vdc, 9A, 65.7W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG0844000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:8.4Vdc, 4A, 33.6W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG0426000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:4.2Vdc, 6A, 25.2W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG0847000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:8.4Vdc, 7A, 58.8W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG0846000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:8.4Vdc, 6A, 50.4W,

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager

Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia



Certificate of Conformity

Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG0429000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:4.2Vdc, 9A, 37.8W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG07310000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:7.3Vdc, 10A, 73W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG0427000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:4.2Vdc, 7A, 29.4W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG0843000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:8.4Vdc, 3A, 25.2W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG4025000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:40.2Vdc, 5A, 201W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG3285000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:32.8Vdc, 5A, 164W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG3006500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:30Vdc, 6.5A, 195W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG3004500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:30Vdc, 4.5A, 135W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG3005500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:30Vdc, 5.5A, 165W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG4203500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:42Vdc, 3.5A, 147W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG3656000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:36.5Vdc, 6A, 219W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG15010000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:15Vdc, 10A, 150W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG3785000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:37.8Vdc, 5A, 189W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG17010000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:17Vdc, 10A, 170W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG3654000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:36.5Vdc, 4A, 146W,

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager

Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia



Certificate of Conformity

Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG3365000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:33.6Vdc, 5A, 168W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG11011000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:11Vdc, 11A, 121W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG2925000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:29.2Vdc, 5A, 146W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG11010000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:11Vdc, 10A, 110W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG2205500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:22Vdc, 5.5A, 121W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG2945000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:29.4Vdc, 5A, 147W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG6202500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:62Vdc, 2.5A, 155W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG4754000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:47.5Vdc, 4A, 190W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG1684000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:16.8Vdc, 4A, 67.2W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG1108500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:11Vdc, 8.5A, 93.5W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG1267000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:12.6Vdc, 7A, 88.2W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG1266000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:12.6Vdc, 6A, 75.6W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG2522000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:25.2Vdc, 2A, 50.4W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG1463000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:14.6Vdc, 3A, 43.8W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG1264000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:12.6Vdc, 4A, 50.4W,

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager

Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia



Certificate of Conformity

Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG1263000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:12.6Vdc, 3A, 37.8W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG1466000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:14.6Vdc, 6A, 87.6W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG1384000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:13.8Vdc, 4A, 55.2W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG1464000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:14.6Vdc, 4A, 58.4W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG4382000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:43.8Vdc, 2A, 87.6W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG3782000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:37.8Vdc, 2A, 75.6W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG4622000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:46.2Vdc, 2A, 92.4W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG2942000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:29.4Vdc, 2A, 58.8W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG3362000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:33.6Vdc, 2A, 67.2W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG2922000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:29.2Vdc, 2A, 58.4W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG2922500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:29.2Vdc, 2.5A, 73W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG2523000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:25.2Vdc, 3A, 75.6W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG2522500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:25.2Vdc, 2.5A, 63W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG1837000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:18.3Vdc, 7A, 128.1W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG3366000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:33.6Vdc, 6A, 201.6W,

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager

Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia



Certificate of Conformity

Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG1508500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:15Vdc, 8.5A, 127.5W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG1709500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:17Vdc, 9.5A, 161.5W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG3364000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:33.6Vdc, 4A, 134.4W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG5044000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:50.4Vdc, 4A, 201.6W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG18310000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:18.3Vdc, 10A, 183W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG1839000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:18.3Vdc, 9A, 164.7W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG1838000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:18.3Vdc, 8A, 146.4W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG5102500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:51Vdc, 2.5A, 127.5W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG3284000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:32.8Vdc, 4A, 131.2W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG3286000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:32.8Vdc, 6A, 196.8W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG1687500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:16.8Vdc, 7.5A, 126W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG1689000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:16.8Vdc, 9A, 151.2W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG1688000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:16.8Vdc, 8A, 134.4W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG1686000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:16.8Vdc, 6A, 100.8W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG3784000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:37.8Vdc, 4A, 151.2W,

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager

Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia



Certificate of Conformity

Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG1687000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:16.8Vdc, 7A, 117.6W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG4023000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:40.2Vdc, 3A, 120.6W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG3655000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:36.5Vdc, 5A, 182.5W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG5103500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:51Vdc, 3.5A, 178.5W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG4024000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:40.2Vdc, 4A, 160.8W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG1707500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:17Vdc, 7.5A, 127.5W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG16810000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:16.8Vdc, 10A, 168W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG1509500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:15Vdc, 9.5A, 142.5W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG1708500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:17Vdc, 8.5A, 144.5W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG4384000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:43.8Vdc, 4A, 175.2W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG2257000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:22.5Vdc, 7A, 157.5W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG2557000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:25.5Vdc, 7A, 178.5W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG4624000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:46.2Vdc, 4A, 184.8W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG2905500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:29Vdc, 5.5A, 159.5W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG2904500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:29Vdc, 4.5A, 130.5W,

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager

Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia



Certificate of Conformity

Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG4383000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:43.8Vdc, 3A, 131.4W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG2527000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:25.2Vdc, 7A, 176.4W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG2524000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:25.2Vdc, 4A, 100.8W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG2526000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:25.2Vdc, 6A, 151.2W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG2528000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:25.2Vdc, 8A, 201.6W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG2555000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:25.5Vdc, 5A, 127.5W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG2527500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:25.2Vdc, 7.5A, 189W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG4623000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:46.2Vdc, 3A, 138.6W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG2107500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:21Vdc, 7.5A, 157.5W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG2108500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:21Vdc, 8.5A, 178.5W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG2947000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:29.4Vdc, 7A, 205.8W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG5042500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:50.4Vdc, 2.5A, 126W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG5043000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:50.4Vdc, 3A, 151.2W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG5042000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:50.4Vdc, 2A, 100.8W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG2106500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:21Vdc, 6.5A, 136.5W,

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager

Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia



Certificate of Conformity

Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG2924000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:29.2Vdc, 4A, 116.8W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG4753000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:47.5Vdc, 3A, 142.5W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG2906500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:29Vdc, 6.5A, 188.5W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG2944000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:29.4Vdc, 4A, 117.6W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG2946000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:29.4Vdc, 6A, 176.4W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG2926000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:29.2Vdc, 6A, 175.2W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG2927000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:29.2Vdc, 7A, 204.4W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG5842500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:58.4Vdc, 2.5A, 146W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG5114000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:51.1Vdc, 4A, 204.4W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG1269000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:12.6Vdc, 9A, 113.4W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG12610000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:12.6Vdc, 10A, 126W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG5842000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:58.4Vdc, 2A, 116.8W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG13810000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:13.8Vdc, 10A, 138W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG5882000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:58.8Vdc, 2A, 117.6W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG5843000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:58.4Vdc, 3A, 175.2W,

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager

Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia



Certificate of Conformity

Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG1389000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:13.8Vdc, 9A, 124.2W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG1388000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:13.8Vdc, 8A, 110.4W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG1109500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:11Vdc, 9.5A, 104.5W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG5462000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:54.6Vdc, 2A, 109.2W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG0849500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:8.4Vdc, 9.5A, 79.8W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG5223000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:52.2Vdc, 3A, 156.6W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG0848500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:8.4Vdc, 8.5A, 71.4W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG5482500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:54.8Vdc, 2.5A, 137W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG5483000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:54.8Vdc, 3A, 164.4W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG1268000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:12.6Vdc, 8A, 100.8W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG0429500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:4.2Vdc, 9.5A, 39.9W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG5463000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:54.6Vdc, 3A, 163.8W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG0428500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:4.2Vdc, 8.5A, 35.7W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG5113000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:51.1Vdc, 3A, 153.3W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG6722500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:67.2Vdc, 2.5A, 168W,

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager

Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia



Certificate of Conformity

Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG6573000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:65.7Vdc, 3A, 197.1W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG14610000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:14.6Vdc, 10A, 146W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG6722000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:67.2Vdc, 2A, 134.4W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG7142000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:71.4Vdc, 2A, 142.8W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG7302500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:73Vdc, 2.5A, 182.5W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG1507500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:15Vdc, 7.5A, 112.5W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG6723000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:67.2Vdc, 3A, 201.6W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG5112000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:51.1Vdc, 2A, 102.2W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG6942000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:69.4Vdc, 2A, 138.8W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG1468000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:14.6Vdc, 8A, 116.8W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG5883000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:58.8Vdc, 3A, 176.4W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG1467000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:14.6Vdc, 7A, 102.2W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG6302500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:63Vdc, 2.5A, 157.5W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG6572000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:65.7Vdc, 2A, 131.4W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG1469000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:14.6Vdc, 9A, 131.4W,

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager

Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia



Certificate of Conformity

Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG6303200	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:63Vdc, 3.2A, 201.6W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG5882500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:58.8Vdc, 2.5A, 147W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG0739500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:7.3Vdc, 9.5A, 69.35W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG6202250	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:62Vdc, 2.25A, 139.5W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG4621500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:46.2Vdc, 1.5A, 69.3W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG2807350	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:28Vdc, 7.35A, 205.8W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG0738500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:7.3Vdc, 8.5A, 62.05W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG6203250	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:62Vdc, 3.25A, 201.5W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG6202750	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:62Vdc, 2.75A, 170.5W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG1266500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:12.6Vdc, 6.5A, 81.9W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG1683500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:16.8Vdc, 3.5A, 58.8W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG1265500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:12.6Vdc, 5.5A, 69.3W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG1267500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:12.6Vdc, 7.5A, 94.5W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG1466500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:14.6Vdc, 6.5A, 94.9W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG5041500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:50.4Vdc, 1.5A, 75.6W,

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager

Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia



Certificate of Conformity

Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG5221000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:52.2Vdc, 1.0A, 52.2W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG5221500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:52.2Vdc, 1.5A, 78.3W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG2924500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:29.2Vdc, 4.5A, 131.4W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG2944500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:29.4Vdc, 4.5A, 132.3W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG2923500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:29.2Vdc, 3.5A, 102.2W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG5103250	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:51Vdc, 3.25A, 165.75W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG6942500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:69.4Vdc, 2.5A, 173.5W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG2945500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:29.4Vdc, 5.5A, 161.7W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG2926500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:29.2Vdc, 6.5A, 189.8W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG2925500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:29.2Vdc, 5.5A, 160.6W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG4024500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:40.2Vdc, 4.5A, 180.9W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG5883500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:58.8Vdc, 3.5A, 205.8W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG13811000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:13.8Vdc, 11A, 151.8W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG5102750	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:51Vdc, 2.75A, 140.25W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG2943500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:29.4Vdc, 3.5A, 102.9W,

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager

Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia



Certificate of Conformity

Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG1686500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:16.8Vdc, 6.5A, 109.2W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG1469500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:14.6Vdc, 9.5A, 138.7W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG3285500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:32.8Vdc, 5.5A, 180.4W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG14611000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:14.6Vdc, 11A, 160.6W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG3364500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:33.6Vdc, 4.5A, 151.2W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG3286400	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:32.8Vdc, 6.4A, 209.9W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG3365500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:33.6Vdc, 5.5A, 184.8W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG6302250	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:63Vdc, 2.25A, 141.75W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG1689500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:16.8Vdc, 9.5A, 159.6W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG2946500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:29.4Vdc, 6.5A, 191.1W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG1467500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:14.6Vdc, 7.5A, 109.5W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG1468500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:14.6Vdc, 8.5A, 124.1W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG3284500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:32.8Vdc, 4.5A, 147.6W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG6302750	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:63Vdc, 2.75A, 173.25W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG1688500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:16.8Vdc, 8.5A, 142.8W,

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager

Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia



Certificate of Conformity

Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG2526500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:25.2Vdc, 6.5A, 163.8W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG5462500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:54.6Vdc, 2.5A, 136.5W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG2525500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:25.2Vdc, 5.5A, 138.6W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG11010500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:11Vdc, 10.5A, 115.5W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG5482000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:54.8Vdc, 2.5A, 109.6W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG4621400	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:46.2Vdc, 1.4A, 64.68W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG5463500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:54.6Vdc, 3.5A, 191.1W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG3784500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:37.8Vdc, 4.5A, 170.1W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG5222000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:52.2Vdc, 2.0A, 104.4W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG4622500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:46.2Vdc, 2.5A, 115.5W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG4623500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:46.2Vdc, 3.5A, 161.7W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG5222500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:52.2Vdc, 2.5A, 130.5W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG7302750	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:73Vdc, 2.75A, 200.75W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG5103750	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:51Vdc, 3.75A, 191.25W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSE5223500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:52.2Vdc, 3.5A, 182.7W,

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager

Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia



Certificate of Conformity

Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG5223500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:52.2Vdc, 3.5A, 182.7W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG5043500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:50.4Vdc, 3.5A, 176.4W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG7142500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:71.4Vdc, 2.5A, 178.5W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG1269500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:12.6Vdc, 9.5A, 119.7W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG7301750	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:73Vdc, 1.75A, 127.75W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG5843500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:58.4Vdc, 3.5A, 204.4W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG5111500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:51.1Vdc, 2.5A, 76.65W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG12611000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:12.6Vdc, 11A, 138.6W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG4023500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:40.2Vdc, 3.5A, 140.7W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG4384500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:43.8Vdc, 4.5A, 197.1W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG5483500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:54.8Vdc, 3.5A, 191.8W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG1268500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:12.6Vdc, 8.5A, 107.1W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG7302250	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:73Vdc, 2.25A, 164.25W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG4383500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:43.8Vdc, 3.5A, 153.3W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG3783500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:37.8Vdc, 3.5A, 132.3W,

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager

Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia



Certificate of Conformity

Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG3783000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:37.8Vdc, 3.5A, 113.4W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG5112500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:51.1Vdc, 2.5A, 127.75W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG6942900	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:69.4Vdc, 2.9A, 201.26W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG5042750	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:50.4Vdc, 2.75A, 138.6W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG5483750	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:54.8Vdc, 3.75, 205.5W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG5842750	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:58.4Vdc, 2.75A, 160.6W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG5842250	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:58.4Vdc, 2.25A, 131.4W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG4753500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:47.5Vdc, 3.5A, 166.25W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG5223750	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:52.2Vdc, 3.75A, 195.8W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG5483250	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:54.8Vdc, 3.25A, 178.1W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG5463700	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:54.6Vdc, 3.7A, 202.02W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG6572500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:65.7Vdc, 2.5A, 164.25W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG5883250	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:58.8Vdc, 3.25A, 191.1W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG6722750	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:67.2Vdc, 2.75A, 184.8W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG6722250	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:67.2Vdc, 2.25A, 151.2W,

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager

Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia



Certificate of Conformity

Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG5843600	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:58.4Vdc, 3.6A, 210.24W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG5843250	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:58.4Vdc, 3.25A, 189.8W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG5882750	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:58.8Vdc, 2.75A, 161.7W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG5113500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:51.1Vdc, 3.5A, 178.85W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG5882250	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:58.8Vdc, 2.25A, 132.3W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG2555500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:25.5Vdc, 5.5A, 140.25W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG2258500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:22.5Vdc, 8.5A, 191.25W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG2557500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:25.5Vdc, 7.5A, 191.25W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG2556500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:25.5Vdc, 6.5A, 165.75W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG1838500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:18.3Vdc, 8.5A, 155.55W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG1839500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:18.3Vdc, 9.5A, 173.85W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG2257500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:22.5Vdc, 7.5A, 168.75W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG1837500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:18.3Vdc, 7.5A, 137.25W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG2255500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:22.5Vdc, 5.5A, 123.75W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG3655500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:36.5Vdc, 5.5A, 200.75W,

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager

Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia



Certificate of Conformity

Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG3653500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:36.5Vdc, 3.5A, 127.75W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG3654500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:36.5Vdc, 4.5A, 164.25W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG7142750	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:71.4Vdc, 2.75A, 196.35W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG4622750	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:46.2Vdc, 2.75A, 127.05W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG14610500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:14.6Vdc, 10.5A, 153.3W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG5463750	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:54.6Vdc, 3.75A, 204.75W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG12610500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:12.6Vdc, 10.5A, 132.3W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG5462750	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:54.6Vdc, 2.75A, 150.15W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG13810500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:13.8Vdc, 10.5A, 144.9W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG6942250	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:69.4Vdc, 2.25A, 156.15W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG6941750	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:69.4Vdc, 1.75A, 121.45W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG7141750	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:71.4Vdc, 1.75A, 124.95W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG7142250	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:71.4Vdc, 2.25A, 160.65W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG5463250	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:54.6Vdc, 3.25A, 177.45W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG6942750	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:69.4Vdc, 2.75A, 190.85W,

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager

Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia



Certificate of Conformity

Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG5113250	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:51.1Vdc, 3.25A, 166.075W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG6572750	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:65.7Vdc, 2.75A, 180.675W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG6572250	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:65.7Vdc, 2.25A, 147.825W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG5112750	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:51.1Vdc, 2.75A, 140.525W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG5113750	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:51.1Vdc, 3.75A, 191.625W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG4752750	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:47.5Vdc, 2.75A, 130.625W,
Power Supply or Charger	Battery Charger	Xinsu Global Electronic Co., Limited	XSG0428000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:4.2Vdc, 8A, 33.6W,

RELEVANT TRADEMARK (S)

COMMENTS OR CONDITIONS ON THE CERTIFICATION
For Charging Lifepo4 battery packs, lead acid batteries and Li-Ion batteries 2022/06/21 Modification 1 add alternative batteries suitable to be charged: lead acid batteries and Li-Ion batteries

End of document

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager

Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia

