



Proof of RCM Compliance

Cert.No.: POC26043520

Date of issue: 22-Apr-2026

Certificate Holder: Xinsu Global Electronic Co., Limited
Address: Unit 2508A, 25/F Bank Of America Tower, 12 Harcourt Road, Central, HONG KONG
Product Description: SWITCHING POWER SUPPLY/CHARGER
Brand/Trade Name: Xinsu Global
Model Number: XSG0302000 L1
Refer to model list
Electrical Ratings: Input: 100-240VAC, 50/60Hz, 1.3A
Output: Refer to model list

AusRCM Compliance certifies that the Electrical/Electronic Article(s) as described above meets the requirements of the standard(s) listed below;

Compliance for:

Evidenced by:

ACMA mandated standards –eg.EMC

Test report and Declaration of Conformity
EN 55032:2015+A11:2020+A1:2020; EN 55035:2017+A11:2020;
EN IEC 61000-3-2:2019+A1:2021+A2:2024;
EN 61000-3-3:2013+A1:2019+A2:2021

Electrical Safety Standard(s):

Certificate of Conformity
AS/NZS 62368.1:2022; Complies with AS/NZS 3112 2017 A1
GMA-527988-EA
Date of Expire: 2031-04-18

EESS- National Equipment Database registration

Checked above model number(s) being registered as
LEVEL 3 product on
<https://www.eess.gov.au/>
<https://equipment.erac.gov.au/Registration/EquipmentSearch.aspx?atn=public>
[\[Before 2024.10.15\]](#)

As of above, the Applicable Compliance mark shall be:



On behalf of AusRCM Compliance | The Third party
Suite 206, 585 Little Collins Street, Melbourne ,VIC, 3000, Australia.



Proof of RCM Compliance

Cert.No.: POC26043520

Appendix -Model list

Model	Rating
XSG0302000 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output:3Vdc,2A,6W
XSG0303000 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output:3Vdc,3A,9W
XSG0304000 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output:3Vdc,4A,12W
XSG0305000 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output:3Vdc,5A,15W
XSG0423000 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output:4.2Vdc,3A,12.6W
XSG0424000 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output:4.2Vdc,4A,16.8W
XSG0425000 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output:4.2Vdc,5A,21W
XSEC0425000 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output:4.2Vdc,5A,21W
XSG0504000 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output:5Vdc,4A,20W
XSEC0504000 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output:5Vdc,4A,20W
XSEC0505000 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output:5Vdc,5A,25W
XSG0603000 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output:6Vdc,3A,18W
XSG0604000 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output:6Vdc,4A,24W
XSG0723000 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output:7.2Vdc,3A,21.6W
XSEC0723000 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output:7.2Vdc,3A,21.6W
XSG0723500 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output:7.2Vdc,3.5A,25.2W
XSG0724000 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output:7.2Vdc,4A,28.8W
XSEC0724000 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output:7.2Vdc,4A,28.8W
XSG0724750 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output:7.2Vdc,4.75A,34.2W
XSG0732000 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output:7.3Vdc,2A,14.6W
XSG0732500 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output:7.3Vdc,2.5A,18.3W
XSG0733000 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output:7.3Vdc,3A,21.9W
XSG0753000 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output:7.5Vdc,3A,22.5W
XSG0840500 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output:8.4Vdc,0.5A,4.2W
XSG0841000 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output:8.4Vdc,1A,8.4W



Proof of RCM Compliance

Cert.No.: POC26043520

Appendix -Model list

Model	Rating
XSG0841000AU L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 8.4Vdc, 1A, 8.4W
XSG0841500 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 8.4Vdc, 1.5A, 12.6W
XSG0841500AU L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 8.4Vdc, 1.5A, 12.6W
XSG0842000 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 8.4Vdc, 2A, 16.8W
XSG0842000AU L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 8.4Vdc, 2A, 16.8W
XSG0842500 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 8.4Vdc, 2.5A, 21W
XSG0843000 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 8.4Vdc, 3A, 25.2W
XSG0843000AU L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 8.4Vdc, 3A, 25.2W
XSG0843500AU L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 8.4Vdc, 3.5A, 29.4W
XSG0844000 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 8.4Vdc, 4A, 33.6W
XSEC0844000 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 8.4Vdc, 4A, 33.6W
XSG0903000 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 9Vdc, 3A, 27W
XSEC0903000 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 9Vdc, 3A, 27W
XSG0904000 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 9Vdc, 4A, 36W
XSG0904000AU L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 9Vdc, 4A, 36W
XSG1002000 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 10Vdc, 2A, 20W
XSG1002000AU L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 10Vdc, 2A, 20W
XSG1002500 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 10Vdc, 2.5A, 25W
XSG1002500AU L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 10Vdc, 2.5A, 25W
XSG1003000 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 10Vdc, 3A, 30W
XSG1003000AU L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 10Vdc, 3A, 30W
XSG1103000 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 11Vdc, 3A, 33W
XSG1103000AU L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 11Vdc, 3A, 33W
XSG1202000 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 12Vdc, 2A, 24W



Proof of RCM Compliance

Cert.No.: POC26043520

Appendix -Model list

Model	Rating
XSG1202000AU L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 12Vdc, 2A, 24W
XSG1202500 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 12Vdc, 2.5A, 30W
XSG1202500AU L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 12Vdc, 2.5A, 30W
XSG1203000 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 12Vdc, 3A, 36W
XSG1203000AU L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 12Vdc, 3A, 36W
XSEC1203000 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 12Vdc, 3A, 36W
XSG1261800 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 12.6Vdc, 1.8A, 22.7W
XSG1261800AU L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 12.6Vdc, 1.8A, 22.7W
XSG1262000 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 12.6Vdc, 2A, 25.2W
XSG1262000AU L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 12.6Vdc, 2A, 25.2W
XSG1262500 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 12.6Vdc, 2.5A, 31.5W
XSG1262500AU L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 12.6Vdc, 2.5A, 31.5W
XSG1263000 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 12.6Vdc, 3A, 37.8W
XSG1263000AU L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 12.6Vdc, 3A, 37.8W
XSEC1263000 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 12.6Vdc, 3A, 37.8W
XSG1301000 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 13Vdc, 1A, 13W
XSG1301500 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 13Vdc, 1.5A, 19.5W
XSG1302000 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 13Vdc, 2A, 26W
XSG1302500 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 13Vdc, 2.5A, 32.5W
XSG1351500 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 13.5Vdc, 1.5A, 20.3W
XSG1351500AU L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 13.5Vdc, 1.5A, 20.3W
XSG1352000 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 13.5Vdc, 2A, 27W
XSG1352000AU L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 13.5Vdc, 2A, 27W
XSG1352500 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 13.5Vdc, 2.5A, 33.8W



Proof of RCM Compliance

Cert.No.: POC26043520

Appendix -Model list

Model	Rating
XSG1401000 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 14Vdc, 1A, 14W
XSG1401500 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 14Vdc, 1.5A, 21W
XSG1401500AU L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 14Vdc, 1.5A, 21W
XSG1402000 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 14Vdc, 2A, 28W
XSG1402000AU L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 14Vdc, 2A, 28W
XSG1402500 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 14Vdc, 2.5A, 35W
XSG1402500AU L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 14Vdc, 2.5A, 35W
XSG1461000 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 14.6Vdc, 1A, 14.6W
XSG1461000AU L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 14.6Vdc, 1A, 14.6W
XSG1461500 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 14.6Vdc, 1.5A, 21.9W
XSG1461500AU L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 14.6Vdc, 1.5A, 21.9W
XSG1462000AU L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 14.6Vdc, 2A, 29.2W
XSG1462250 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 14.6Vdc, 2.25A, 32.85W
XSG1500800 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 15Vdc, 0.8A, 12W
XSG1500800AU L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 15Vdc, 0.8A, 12W
XSEC1500800 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 15Vdc, 0.8A, 12W
XSG1501000 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 15Vdc, 1A, 15W
XSG1501000AU L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 15Vdc, 1A, 15W
XSEC1501000 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 15Vdc, 1A, 15W
XSG1501500 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 15Vdc, 1.5A, 22.5W
XSG1501500AU L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 15Vdc, 1.5A, 22.5W
XSG1502000 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 15Vdc, 2A, 30W
XSEC1502000 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 15Vdc, 2A, 30W
XSG1502500 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 15Vdc, 2.5A, 37.5W



Proof of RCM Compliance

Cert.No.: POC26043520

Appendix -Model list

Model	Rating
XSG1502500AU L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 15Vdc, 2.5A, 37.5W
XSG1601000 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 16Vdc, 1A, 16W
XSG1601500 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 16Vdc, 1.5A, 24W
XSG1602000 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 16Vdc, 2A, 32W
XSG1602250 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 16Vdc, 2.25A, 36W
XSG1621500 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 16.2Vdc, 1.5A, 24.3W
XSG1621500AU L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 16.2Vdc, 1.5A, 24.3W
XSG1622000 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 16.2Vdc, 2A, 32.4W
XSEC1622000 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 16.2Vdc, 2A, 32.4W
XSG1622250 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 16.2Vdc, 2.25A, 36.45W
XSG1681000 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 16.8Vdc, 1A, 16.8W
XSG1681000AU L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 16.8Vdc, 1A, 16.8W
XSG1681500 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 16.8Vdc, 1.5A, 25.2W
XSG1681500AU L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 16.8Vdc, 1.5A, 25.2W
XSG1682000 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 16.8Vdc, 2A, 33.6W
XSEC1682000 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 16.8Vdc, 2A, 33.6W
XSG1682250 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 16.8Vdc, 2.25A, 37.8W
XSG1682250AU L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 16.8Vdc, 2.25A, 37.8W
XSG1800500 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 18Vdc, 0.5A, 9W
XSG1800500AU L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 18Vdc, 0.5A, 9W
XSG1801000 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 18Vdc, 1A, 18W
XSG1801000AU L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 18Vdc, 1A, 18W
XSG1801500 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 18Vdc, 1.5A, 27W
XSG1801500AU L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 18Vdc, 1.5A, 27W



Proof of RCM Compliance

Cert.No.: POC26043520

Appendix -Model list

Model	Rating
XSG1802000 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 18Vdc, 2A, 36W
XSG1802000AU L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 18Vdc, 2A, 36W
XSG1802200 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 18Vdc, 2.2A, 39.6W
XSEC1802200 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 18Vdc, 2.2A, 39.6W
XSG1831000 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 18.3Vdc, 1A, 18.3W
XSG1831000AU L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 18.3Vdc, 1A, 18.3W
XSEC1831500 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 18.3Vdc, 1.5A, 27.5W
XSG1832000 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 18.3Vdc, 2A, 36.6W
XSG1901000 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 19Vdc, 1A, 19W
XSG1901500 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 19Vdc, 1.5A, 28.5W
XSEC1901500 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 19Vdc, 1.5A, 28.5W
XSG1901750 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 19Vdc, 1.75A, 33.3W
XSG1901750AU L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 19Vdc, 1.75A, 33.3W
XSG1902000 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 19Vdc, 2A, 38W
XSEC1902000 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 19Vdc, 2A, 38W
XSG1951000 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 19.5Vdc, 1A, 19.5W
XSG1951000AU L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 19.5Vdc, 1A, 19.5W
XSG1951500 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 19.5Vdc, 1.5A, 29.3W
XSG1951500AU L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 19.5Vdc, 1.5A, 29.3W
XSG2001250 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 20Vdc, 1.25A, 25W
XSG2001250AU L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 20Vdc, 1.25A, 25W
XSG2001500 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 20Vdc, 1.5A, 30W
XSG2001500AU L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 20Vdc, 1.5A, 30W
XSG2001750 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 20Vdc, 1.75A, 35W



Proof of RCM Compliance

Cert.No.: POC26043520

Appendix -Model list

Model	Rating
XSG2001750AU L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 20Vdc, 1.75A, 35W
XSG2002000 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 20Vdc, 2A, 40W
XSEC2002000 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 20Vdc, 2A, 40W
XSG2101200 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 21Vdc, 1.2A, 25.2W
XSG2101200AU L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 21Vdc, 1.2A, 25.2W
XSG2101500 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 21Vdc, 1.5A, 31.5W
XSG2101500AU L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 21Vdc, 1.5A, 31.5W
XSG2101750 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 21Vdc, 1.75A, 36.75W
XSG2201250 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 22Vdc, 1.25A, 27.5W
XSG2201250AU L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 22Vdc, 1.25A, 27.5W
XSG2201500 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 22Vdc, 1.5A, 33W
XSG2201500AU L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 22Vdc, 1.5A, 33W
XSG2201750 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 22Vdc, 1.75A, 38.5W
XSG2251000 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 22.5Vdc, 1A, 22.5W
XSG2251000AU L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 22.5Vdc, 1A, 22.5W
XSG2251250 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 22.5Vdc, 1.25A, 28.1W
XSEC2251250 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 22.5Vdc, 1.25A, 28.1W
XSG2251500 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 22.5Vdc, 1.5A, 33.8W
XSG2251500AU L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 22.5Vdc, 1.5A, 33.8W
XSG2251750 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 22.5Vdc, 1.75A, 39.4W
XSG2251750AU L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 22.5Vdc, 1.75A, 39.4W
XSG2400500 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 24Vdc, 0.5A, 12W
XSG2400500AU L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 24Vdc, 0.5A, 12W
XSG2401000 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 24Vdc, 1A, 24W



Proof of RCM Compliance

Cert.No.: POC26043520

Appendix -Model list

Model	Rating
XSG2401000AU L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 24Vdc, 1A, 24W
XSEC2401000 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 24Vdc, 1A, 24W
XSG2401200 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 24Vdc, 1.2A, 28.8W
XSG2401200AU L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 24Vdc, 1.2A, 28.8W
XSG2401250 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 24Vdc, 1.25A, 30W
XSG2401250AU L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 24Vdc, 1.25A, 30W
XSG2401500 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 24Vdc, 1.5A, 36W
XSG2401500AU L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 24Vdc, 1.5A, 36W
XSEC2401500 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 24Vdc, 1.5A, 36W
XSG2520500 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 25.2Vdc, 0.5A, 12.6W
XSG2520500AU L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 25.2Vdc, 0.5A, 12.6W
XSG2521000 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 25.2Vdc, 1A, 25.2W
XSG2521000AU L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 25.2Vdc, 1A, 25.2W
XSG2521250 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 25.2Vdc, 1.25A, 31.5W
XSG2521250AU L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 25.2Vdc, 1.25A, 31.5W
XSEC2521250 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 25.2Vdc, 1.25A, 31.5W
XSG2521500 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 25.2Vdc, 1.5A, 37.8W
XSG2521500AU L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 25.2Vdc, 1.5A, 37.8W
XSEC2521500 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 25.2Vdc, 1.5A, 37.8W
XSG2551000 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 25.5Vdc, 1A, 25.5W
XSG2551000AU L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 25.5Vdc, 1A, 25.5W
XSG2551250 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 25.5Vdc, 1.25A, 31.9W
XSG2551500 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 25.5Vdc, 1.5A, 38.3W
XSG2551500AU L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 25.5Vdc, 1.5A, 38.3W



Proof of RCM Compliance

Cert.No.: POC26043520

Appendix -Model list

Model	Rating
XSG2701000 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 27Vdc, 1A, 27W
XSG2701000AU L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 27Vdc, 1A, 27W
XSG2701450 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 27Vdc, 1.45A, 39.15W
XSG2801000 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 28Vdc, 1A, 28W
XSG2801250 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 28Vdc, 1.5A, 35W
XSG2900500AU L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 29Vdc, 0.5A, 14.5W
XSG2901000 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 29Vdc, 1A, 29W
XSG2901250 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 29Vdc, 1.25A, 36.25W
XSEC2901250 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 29Vdc, 1.25A, 36.25W
XSG2920500 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 29.2Vdc, 0.5A, 14.6W
XSG2920500AU L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 29.2Vdc, 0.5A, 14.6W
XSG2921000 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 29.2Vdc, 1A, 29.2W
XSG2921000AU L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 29.2Vdc, 1A, 29.2W
XSG2921250 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 29.2Vdc, 1.25A, 36.5W
XSG2921250AU L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 29.2Vdc, 1.25A, 36.5W
XSG2941000 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 29.4Vdc, 1A, 29.4W
XSG2941000AU L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 29.4Vdc, 1A, 29.4W
XSG2941250 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 29.4Vdc, 1.25A, 36.8W
XSEC2941250 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 29.4Vdc, 1.25A, 36.8W
XSG3001000 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 30Vdc, 1A, 30W
XSEC3001000 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 30Vdc, 1A, 30W
XSG3001250 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 30Vdc, 1.25A, 37.5W
XSG3001250AU L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 30Vdc, 1.25A, 37.5W
XSG3200500 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 32Vdc, 0.5A, 16W



Proof of RCM Compliance

Cert.No.: POC26043520

Appendix -Model list

Model	Rating
XSG3200500AU L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 32Vdc, 0.5A, 16W
XSG3201000 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 32Vdc, 1A, 32W
XSG3201000AU L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 32Vdc, 1A, 32W
XSG3201250 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 32Vdc, 1.25A, 40W
XSEC3201250 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 32Vdc, 1.25A, 40W
XSG3300500 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 33Vdc, 0.5A, 16.5W
XSG3300500AU L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 33Vdc, 0.5A, 16.5W
XSG3301000 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 33Vdc, 1A, 33W
XSEC3301000 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 33Vdc, 1A, 33W
XSG3360500 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 33.6Vdc, 0.5A, 16.8W
XSG3360500AU L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 33.6Vdc, 0.5A, 16.8W
XSG3601000 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 36Vdc, 1A, 36W
XSG3601000AU L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 36Vdc, 1A, 36W
XSG3651000 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 36.5Vdc, 1A, 36.5W
XSG3651000AU L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 36.5Vdc, 1A, 36.5W
XSG3780500 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 37.8Vdc, 0.5A, 18.9W
XSG3780500AU L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 37.8Vdc, 0.5A, 18.9W
XSG3781000 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 37.8Vdc, 1A, 37.8W
XSG3781000AU L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 37.8Vdc, 1A, 37.8W
XSG3800500 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 38Vdc, 0.5A, 19W
XSG3800500AU L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 38Vdc, 0.5A, 19W
XSG3801000 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 38Vdc, 1A, 38W
XSG3801000AU L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 38Vdc, 1A, 38W
XSG4020500 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 40.2Vdc, 0.5A, 20.1W



Proof of RCM Compliance

Cert.No.: POC26043520

Appendix -Model list

Model	Rating
XSG4020500AU L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 40.2Vdc, 0.5A, 20.1W
XSG4020800 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 40.2Vdc, 0.8A, 32.2W
XSEC4020800 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 40.2Vdc, 0.8A, 32.2W
XSG4020950 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 40.2Vdc, 0.95A, 38.19W
XSG4020950AU L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 40.2Vdc, 0.95A, 38.19W
XSG4200500 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 42Vdc, 0.5A, 21W
XSG4200500AU L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 42Vdc, 0.5A, 21W
XSEC4200500 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 42Vdc, 0.5A, 21W
XSG4200900 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 42Vdc, 0.9A, 37.8W
XSEC4200900 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 42Vdc, 0.9A, 37.8W
XSG4250500 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 42.5Vdc, 0.5A, 21.3W
XSG4250500AU L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 42.5Vdc, 0.5A, 21.3W
XSG4250900 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 42.5Vdc, 0.9A, 38.3W
XSG4250900AU L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 42.5Vdc, 0.9A, 38.3W
XSG4300900 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 43Vdc, 0.9A, 38.7W
XSG4300900AU L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 43Vdc, 0.9A, 38.7W
XSG4320500 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 43.2Vdc, 0.5A, 21.6W
XSEC4320500 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 43.2Vdc, 0.5A, 21.6W
XSG4320900 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 43.2Vdc, 0.9A, 38.9W
XSG4320900AU L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 43.2Vdc, 0.9A, 38.9W
XSG4380500 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 43.8Vdc, 0.5A, 21.9W
XSG4380500AU L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 43.8Vdc, 0.5A, 21.9W
XSG4380900 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 43.8Vdc, 0.9A, 39.4W
XSG4380900AU L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 43.8Vdc, 0.9A, 39.4W



Proof of RCM Compliance

Cert.No.: POC26043520

Appendix -Model list

Model	Rating
XSG4400500 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 44Vdc, 0.5A, 22W
XSG4400500AU L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 44Vdc, 0.5A, 22W
XSG4400900 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 44Vdc, 0.9A, 39.6W
XSG4400900AU L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 44Vdc, 0.9A, 39.6W
XSG4500500 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 45Vdc, 0.5A, 22.5W
XSG4500500AU L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 45Vdc, 0.5A, 22.5W
XSG4500800 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 45Vdc, 0.8A, 36W
XSEC4500800 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 45Vdc, 0.8A, 36W
XSG4600800 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 46Vdc, 0.8A, 36.8W
XSG4600800AU L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 46Vdc, 0.8A, 36.8W
XSG4620500 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 46.2Vdc, 0.5A, 23.1W
XSG4620500AU L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 46.2Vdc, 0.5A, 23.1W
XSG4620800 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 46.2Vdc, 0.8A, 37W
XSG4620800AU L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 46.2Vdc, 0.8A, 37W
XSG4750500 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 47.5Vdc, 0.5A, 23.8W
XSG4750500AU L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 47.5Vdc, 0.5A, 23.8W
XSG4750800 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 47.5Vdc, 0.8A, 38W
XSG4750800AU L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 47.5Vdc, 0.8A, 38W
XSG4800500 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 48Vdc, 0.5A, 24W
XSG4800500AU L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 48Vdc, 0.5A, 24W
XSG4800800 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 48Vdc, 0.8A, 38.4W
XSEC4800800 L1	Input: 100-240VAC, 50/60Hz, 1.3A Output: 48Vdc, 0.8A, 38.4W