



Proof of RCM Compliance

Cert.No.: POC26037731

Date of issue: 8-Apr-2026

Certificate Holder: Xinsu Global Electronic Co., Limited
Address: Unit 2508A, 25/F Bank Of America Tower, 12 Harcourt Road, Central, HONG KONG
Product Description: SWITCHING POWER SUPPLY/CHARGER
Brand/Trade Name: Xinsu Global
Model Number: XSG0427500 L2
Refer to model list
Electrical Ratings: Input: 100-240VAC, 50/60Hz, 3.0A Max.
Output: Refer to model list

AusRCM Compliance certifies that the Electrical/Electronic Article(s) as described above meets the requirements of the standard(s) listed below;

Compliance for:

Evidenced by:

ACMA mandated standards –eg. EMC

Test report and Declaration of Conformity
EN 55032:2015+A11:2020+A1:2020; EN 55035:2017+A11:2020;
EN IEC 61000-3-2:2019+A1:2021; EN 61000-3-3:2013+A1:2019

Electrical Safety Standard(s):

Certificate of Conformity
AS/NZS 62368.1:2022

GMA-527743-EA

Date of Expire: 2031-03-31

EESS- National Equipment Database

Checked above model number(s) being registered as
LEVEL 3 product on

registration

<https://www.eess.gov.au/>
<https://equipment.erac.gov.au/Registration/EquipmentSearch.aspx?atn=public>
[Before 2024.10.15]

As of above, the Applicable Compliance mark shall be:



On behalf of AusRCM Compliance | The Third party

Suite 206, 585 Little Collins Street, Melbourne ,VIC, 3000, Australia.



Proof of RCM Compliance

Cert.No.: POC26037731

Appendix -Model list

Model	Rating
XSG0427500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:4.2Vdc, 7.5A, 31.5W
XSG0428000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:4.2Vdc, 8A, 33.6W
XSG0507000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:5Vdc, 7A, 35W
XSG0507500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:5Vdc, 7.5A, 37.5W
XSG0508000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:5Vdc, 8A, 40W
XSG0606500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:6Vdc, 6.5A, 39W
XSG0607000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:6Vdc, 7A, 42W
XSG0607500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:6Vdc, 7.5A, 45W
XSG0608000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:6Vdc, 8A, 48W
XSG0656500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:6.5Vdc, 6.5A, 42.25W
XSG0657000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:6.5Vdc, 7A, 45.5W
XSG0657500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:6.5Vdc, 7.5A, 48.75W
XSG0658000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:6.5Vdc, 8A, 52W
XSG0726500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:7.2Vdc, 6.5A, 46.8W
XSG0727000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:7.2Vdc, 7A, 50.4W
XSG0727500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:7.2Vdc, 7.5A, 54W
XSG0728000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:7.2Vdc, 8A, 57.6W
XSG0736500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:7.3Vdc, 6.5A, 47.45W
XSG0737000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:7.3Vdc, 7A, 51.1W
XSG0737500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:7.3Vdc, 7.5A, 54.75W
XSG0738000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:7.3Vdc, 8A, 58.4W
XSG0756500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:7.5Vdc, 6.5A, 48.75W
XSG0757000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:7.5Vdc, 7A, 52.5W
XSG0757500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:7.5Vdc, 7.5A, 56.25W
XSG0758000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:7.5Vdc, 8A, 60W
XSG0907000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:9Vdc, 7A, 63W
XSG0907500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:9Vdc, 5A, 45W
XSG0908000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:9Vdc, 8A, 72W
XSG1005500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:10Vdc, 5.5A, 55W
XSG1006000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:10Vdc, 6A, 60W
XSG1006500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:10Vdc, 6.5A, 65W
XSG1007000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:10Vdc, 7A, 70W
XSG1007500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:10Vdc, 7.5A, 75W
XSG1008000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:10Vdc, 8A, 80W
XSG1106000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:11Vdc, 6A, 66W
XSG1106500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:11Vdc, 6.5A, 71.5W
XSG1107000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:11Vdc, 7A, 77W
XSG1107500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:11Vdc, 7.5A, 82.5W
XSG1108000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:11Vdc, 8A, 88W



Proof of RCM Compliance

Cert.No.: POC26037731

Appendix -Model list

Model	Rating
XSG1205500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:12Vdc, 5.5A, 66W
XSG1206000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:12Vdc, 6A, 72W
XSG1206500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:12Vdc, 6.5A, 78W
XSG1207000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:12Vdc, 7A, 84W
XSG1207500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:12Vdc, 7.5A, 90W
XSG1208000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:12Vdc, 8A, 96W
XSG1265500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:12.6Vdc, 5.5A, 69.3W
XSG1266000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:12.6Vdc, 6A, 75.6W
XSG1266500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:12.6Vdc, 6.5A, 81.9W
XSG1267000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:12.6Vdc, 7A, 88.2W
XSG1267500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:12.6Vdc, 7.5A, 94.5W
XSG1268000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:12.6Vdc, 8A, 100.8W
XSG1305000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:13Vdc, 5A, 65W
XSG1305500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:13Vdc, 5.5A, 71.5W
XSG1306000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:13Vdc, 6A, 78W
XSG1306500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:13Vdc, 6.5A, 84.5W
XSG1307000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:13Vdc, 7A, 91W
XSG1307200 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:13Vdc, 7.2A, 93.6W
XSG1307500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:13Vdc, 7.5A, 97.5W
XSG1355000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:13.5Vdc, 5A, 67.5W
XSG1355500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:13.5Vdc, 5.5A, 74.25W
XSG1356000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:13.5Vdc, 6A, 81W
XSG1356500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:13.5Vdc, 6.5A, 87.75W
XSG1357000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:13.5Vdc, 7A, 94.5W
XSG1357500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:13.5Vdc, 7.5A, 101.25W
XSG1404500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:14Vdc, 4.5A, 63W
XSG1405000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:14Vdc, 5A, 70W
XSG1405500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:14Vdc, 5.5A, 77W
XSG1406000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:14Vdc, 6A, 84W
XSG1406500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:14Vdc, 6.5A, 91W
XSG1407000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:14Vdc, 7A, 98W
XSG1407200 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:14Vdc, 7.2A, 100.8W
XSG1407500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:14Vdc, 7.5A, 105W
XSG1464450 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:14.6Vdc, 4.45A, 64.97W
XSG1464500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:14.6Vdc, 4.5A, 65.7W
XSG1465000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:14.6Vdc, 5A, 73W
XSG1465500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:14.6Vdc, 5.5A, 80.3W
XSG1466000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:14.6Vdc, 6A, 87.6W



Proof of RCM Compliance

Cert.No.: POC26037731

Appendix -Model list

Model	Rating
XSG1466500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:14.6Vdc, 6.5A, 94.9W
XSG1467000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:14.6Vdc, 7A, 102.2W
XSG1467500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:14.6Vdc, 7.5A, 109.5W
XSG1504000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:15Vdc, 4A, 60W
XSG1504500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:15Vdc, 4.5A, 67.5W
XSG1505000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:15Vdc, 5A, 75W
XSG1505500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:15Vdc, 5.5A, 82.5W
XSG1506000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:15Vdc, 6A, 90W
XSG1506500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:15Vdc, 6.5A, 97.5W
XSG1507000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:15Vdc, 7A, 105W
XSG1507500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:15Vdc, 7.5A, 112.5W
XSG1604000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:16Vdc, 4A, 64W
XSG1604060 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:16Vdc, 4.06A, 64.96W
XSG1604500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:16Vdc, 4.5A, 72W
XSG1605000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:16Vdc, 5A, 80W
XSG1605500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:16Vdc, 5.5A, 88W
XSG1606000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:16Vdc, 6A, 96W
XSG1606300 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:16Vdc, 6.3A, 100.8W
XSG1606500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:16Vdc, 6.5A, 104W
XSG1607000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:16Vdc, 7A, 112W
XSG1624000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:16.2Vdc, 4A, 64.8W
XSG1624500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:16.2Vdc, 4.5A, 72.9W
XSG1625000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:16.2Vdc, 5A, 81W
XSG1625500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:16.2Vdc, 5.5A, 89.1W
XSG1626000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:16.2Vdc, 6A, 97.2W
XSG1626500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:16.2Vdc, 6.5A, 105.3W
XSG1684000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:16.8Vdc, 4A, 67.2W
XSG1684500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:16.8Vdc, 4.5A, 75.6W
XSG1685000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:16.8Vdc, 5A, 84W
XSG1685500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:16.8Vdc, 5.5A, 92.4W
XSG1686000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:16.8Vdc, 6A, 100.8W
XSG1686500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:16.8Vdc, 6.5A, 109.2W
XSG1703750 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:17Vdc, 3.75A, 63.75W
XSG1704000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:17Vdc, 4A, 68W
XSG1704500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:17Vdc, 4.5A, 76.5W
XSG1705000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:17Vdc, 5A, 85W
XSG1705500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:17Vdc, 5.5A, 93.5W
XSG1706000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:17Vdc, 6A, 102W
XSG1706500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:17Vdc, 6.5A, 110.5W



Proof of RCM Compliance

Cert.No.: POC26037731

Appendix -Model list

Model	Rating
XSG1804000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:18Vdc, 4A, 72W
XSG1804500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:18Vdc, 4.5A, 81W
XSG1805000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:18Vdc, 5A, 90W
XSG1805500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:18Vdc, 5.5A, 99W
XSG1806000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:18Vdc, 6A, 108W
XSG1834000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:18.3Vdc, 4A, 73.2W
XSG1834500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:18.3Vdc, 4.5A, 82.35W
XSG1835000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:18.3Vdc, 5A, 91.5W
XSG1835500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:18.3Vdc, 5.5A, 100.65W
XSG1836000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:18.3Vdc, 6A, 109.8W
XSG1904750 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:19Vdc, 4.75A, 90.25W
XSG1905000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:19Vdc, 5A, 95W
XSG1905500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:19Vdc, 5.5A, 104.5W
XSG1906000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:19Vdc, 6A, 114W
XSG1954500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:19.5Vdc, 4.5A, 87.75W
XSG1954620 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:19.5Vdc, 4.62A, 90.09W
XSG1955000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:19.5Vdc, 5A, 97.5W
XSG1955500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:19.5Vdc, 5.5A, 107.25W
XSG1956000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:19.5Vdc, 6A, 117W
XSG2003500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:20Vdc, 3.5A, 70W
XSG2004000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:20Vdc, 4A, 80W
XSG2004500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:20Vdc, 4.5A, 90W
XSG2005000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:20Vdc, 5A, 100W
XSG2005500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:20Vdc, 5.5A, 110W
XSG2006000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:20Vdc, 6A, 120W
XSG2103500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:21Vdc, 3.5A, 73.5W
XSG2104000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:21Vdc, 4A, 84W
XSG2104500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:21Vdc, 4.5A, 94.5W
XSG2105000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:21Vdc, 5A, 105W
XSG2105500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:21Vdc, 5.5A, 115.5W
XSG2203000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:22Vdc, 3A, 66W
XSG2203500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:22Vdc, 3.5A, 77W
XSG2204000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:22Vdc, 4A, 88W
XSG2204500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:22Vdc, 4.5A, 99W
XSG2205000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:22Vdc, 5A, 110W
XSG2253000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:22.5Vdc, 3A, 67.5W
XSG2253500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:22.5Vdc, 3.5A, 78.75W



Proof of RCM Compliance

Cert.No.: POC26037731

Appendix -Model list

Model	Rating
XSG2254000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:22.5Vdc, 4A, 90W
XSG2254500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:22.5Vdc, 4.5A, 101.25W
XSG2255000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:22.5Vdc, 5A, 112.5W
XSG2403000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:24Vdc, 3A, 72W
XSG2403250 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:24Vdc, 3.25A, 78W
XSG2403500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:24Vdc, 3.5A, 84W
XSG2403750 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:24Vdc, 3.75A, 90W
XSG2404000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:24Vdc, 4A, 96W
XSG2404500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:24Vdc, 4.5A, 108W
XSG2405000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:24Vdc, 5A, 120W
XSG2523000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:25.2Vdc, 3A, 75.6W
XSG2523500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:25.2Vdc, 3.5A, 88.2W
XSG2524000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:25.2Vdc, 4A, 100.8W
XSG2524500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:25.2Vdc, 4.5A, 113.4W
XSG2525000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:25.2Vdc, 2.5A, 63W
XSG2553000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:25.5Vdc, 3A, 76.5W
XSG2553500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:25.5Vdc, 3.5A, 89.25W
XSG2554000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:25.5Vdc, 4A, 102W
XSG2554500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:25.5Vdc, 4.5A, 114.75W
XSG2702500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:27Vdc, 2.5A, 67.5W
XSG2703000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:27Vdc, 3A, 81W
XSG2703500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:27Vdc, 3.5A, 94.5W
XSG2704000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:27Vdc, 4A, 108W
XSG2802500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:28Vdc, 2.5A, 70W
XSG2803000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:28Vdc, 3A, 84W
XSG2803500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:28Vdc, 3.5A, 98W
XSG2804000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:28Vdc, 4A, 112W
XSG2804250 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:28Vdc, 4.25A, 119W
XSG2902500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:29Vdc, 2.5A, 72.5W
XSG2903000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:29Vdc, 3A, 87W
XSG2903500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:29Vdc, 3.5A, 101.5W
XSG2904000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:29Vdc, 4A, 116W
XSG2922500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:29.2Vdc, 2.5A, 73W
XSG2923000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:29.2Vdc, 3A, 87.6W
XSG2923500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:29.2Vdc, 3.5A, 102.2W
XSG2924000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:29.2Vdc, 4A, 116.8W
XSG2942000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:29.4Vdc, 2A, 58.8W
XSG2942500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:29.4Vdc, 2.5A, 73.5W



Proof of RCM Compliance

Cert.No.: POC26037731

Appendix -Model list

Model	Rating
XSG2943000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:29.4Vdc, 3A, 88.2W
XSG2943500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:29.4Vdc, 3.5A, 102.9W
XSG2944000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:29.4Vdc, 4A, 117.6W
XSG3002500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:30Vdc, 2.5A, 75W
XSG3003000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:30Vdc, 3A, 90W
XSG3003500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:30Vdc, 3.5A, 105W
XSG3004000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:30Vdc, 4A, 120W
XSG3202500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:32Vdc, 2.5A, 80W
XSG3202750 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:32Vdc, 2.75A, 88W
XSG3203000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:32Vdc, 3A, 96W
XSG3203250 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:32Vdc, 3.25A, 104W
XSG3203500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:32Vdc, 3.5A, 112W
XSG3203750 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:32Vdc, 3.75A, 120W
XSG3302000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:33Vdc, 2A, 66W
XSG3302500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:33Vdc, 2.5A, 82.5W
XSG3302750 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:33Vdc, 2.75A, 90.75W
XSG3303000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:33Vdc, 3A, 99W
XSG3362000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:33.6Vdc, 2A, 67.2W
XSG3362500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:33.6Vdc, 2.5A, 84W
XSG3362750 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:33.6Vdc, 2.75A, 92.4W
XSG3363000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:33.6Vdc, 3A, 100.8W
XSG3401900 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:34Vdc, 1.9A, 64.6W
XSG3402000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:34Vdc, 2A, 68W
XSG3402500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:34Vdc, 2.5A, 85W
XSG3402750 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:34Vdc, 2.75A, 93.5W
XSG3403000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:34Vdc, 3A, 102W
XSG3502500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:35Vdc, 2.5A, 87.5W
XSG3502750 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:35Vdc, 2.75A, 96.25W
XSG3503000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:35Vdc, 3A, 105W
XSG3601800 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:36Vdc, 1.8A, 64.8W
XSG3602000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:36Vdc, 2A, 72W
XSG3602500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:36Vdc, 2.5A, 90W
XSG3603000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:36Vdc, 3A, 108W
XSG3652000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:36.5Vdc, 2A, 73W
XSG3652500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:36.5Vdc, 2.5A, 91.25W
XSG3653000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:36.5Vdc, 3A, 109.5W
XSG3782000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:37.8Vdc, 2A, 75.6W
XSG3802000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:38Vdc, 2A, 76W
XSG3802500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:38Vdc, 2.5A, 95W



Proof of RCM Compliance

Cert.No.: POC26037731

Appendix -Model list

Model	Rating
XSG3803000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:38Vdc, 3A, 114W
XSG4022000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:40.2Vdc, 2A, 80.4W
XSG4022500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:40.2Vdc, 2.5A, 100.5W
XSG4023000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:40.2Vdc, 3A, 120.6W
XSG4201750 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:42Vdc, 1.75A, 73.5W
XSG4202000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:42Vdc, 2A, 84W
XSG4202250 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:42Vdc, 2.25A, 94.5W
XSG4202500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:42Vdc, 2.5A, 105W
XSG4203000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:42Vdc, 3A, 126W
XSG4252000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:42.5Vdc, 2A, 85W
XSG4252500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:42.5Vdc, 2.5A, 106.25W
XSG4252750 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:42.5Vdc, 2.75A, 116.875W
XSG4301500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:43Vdc, 1.5A, 64.5W
XSG4302000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:43Vdc, 2A, 86W
XSG4302500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:43Vdc, 2.5A, 107.5W
XSG4302750 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:43Vdc, 2.75A, 118.25W
XSG4321500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:43.2Vdc, 1.5A, 64.8W
XSG4322000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:43.2Vdc, 2A, 86.4W
XSG4322500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:43.2Vdc, 2.5A, 108W
XSG4322750 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:43.2Vdc, 2.75A, 118.8W
XSG4381500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:43.8Vdc, 1.5A, 65.7W
XSG4382000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:43.8Vdc, 2A, 87.6W
XSG4382500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:43.8Vdc, 2.5A, 109.5W
XSG4382750 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:43.8Vdc, 2.75A, 120.45W
XSG4401500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:44Vdc, 1.5A, 66W
XSG4402000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:44Vdc, 2A, 88W
XSG4402500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:44Vdc, 2.5A, 110W
XSG4402700 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:44Vdc, 2.7A, 118.8W
XSG4501500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:45Vdc, 1.5A, 67.5W
XSG4502000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:45Vdc, 2A, 90W
XSG4502500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:45Vdc, 2.5A, 112.5W
XSG4502650 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:45Vdc, 2.65A, 119.25W
XSG4601400 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:46Vdc, 1.4A, 64.4W
XSG4601500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:46Vdc, 1.5A, 69W
XSG4602000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:46Vdc, 2A, 92W
XSG4602500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:46Vdc, 2.5A, 115W
XSG4621400 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:46.2Vdc, 1.4A, 64.68W



Proof of RCM Compliance

Cert.No.: POC26037731

Appendix -Model list

Model	Rating
XSG4621500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:46.2Vdc, 1.5A, 69.3W
XSG4622000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:46.2Vdc, 2A, 92.4W
XSG4622500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:46.2Vdc, 2.5A, 115.5W
XSG4622750 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:46.2Vdc, 2.75A, 127.05W
XSG4751500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:47.5Vdc, 1.5A, 71.25W
XSG4752000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:47.5Vdc, 2A, 95W
XSG4752500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:47.5Vdc, 2.5A, 118.75W
XSG4801350 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:48Vdc, 1.35A, 64.8W
XSG4801500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:48Vdc, 1.5A, 72W
XSG4801750 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:48Vdc, 1.75A, 84W
XSG4802000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:48Vdc, 2A, 96W
XSG4802100 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:48Vdc, 2.1A, 100.8W
XSG4802250 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:48Vdc, 2.25A, 108W
XSG4802500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:48Vdc, 2.5A, 120W
XSG5041500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:50.4Vdc, 1.5A, 75.6W
XSG5042000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:50.4Vdc, 2A, 100.8W
XSG5042500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:50.4Vdc, 2.5A, 126W
XSG5101500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:51Vdc, 1.5A, 76.5W
XSG5102000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:51Vdc, 2A, 102W
XSG5102250 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:51Vdc, 2.25A, 114.75W
XSG5111500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:51.1Vdc, 1.5A, 76.65W
XSG5112000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:51.1Vdc, 2A, 102.2W
XSG5112250 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:51.1Vdc, 2.25A, 114.975W
XSG5461250 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:54.6Vdc, 1.25A, 68.25W
XSG5461500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:54.6Vdc, 1.5A, 81.9W
XSG5461750 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:54.6Vdc, 1.75A, 95.55W
XSG5462000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:54.6Vdc, 2A, 109.2W
XSG5462250 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:54.6Vdc, 2.25A, 122.85W
XSG5481250 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:54.8Vdc, 1.25A, 68.5W
XSG5481500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:54.8Vdc, 1.5A, 82.2W
XSG5482000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:54.8Vdc, 2A, 109.6W
XSG5482250 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:54.8Vdc, 2.25A, 123.3W
XSG5501250 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:55Vdc, 1.25A, 68.75W
XSG5501500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:55Vdc, 1.5A, 82.5W
XSG5502000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:55Vdc, 2A, 110W



Proof of RCM Compliance

Cert.No.: POC26037731

Appendix -Model list

Model	Rating
XSG5502200 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:55Vdc, 2.2A, 121W
XSG5601500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:56Vdc, 1.5A, 84W
XSG5602000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:56Vdc, 2A, 112W
XSG5801250 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:58Vdc, 1.25A, 72.5W
XSG5801500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:58Vdc, 1.5A, 87W
XSG5801750 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:58Vdc, 1.75A, 101.5W
XSG5802000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:58Vdc, 2A, 116W
XSG5841100 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:58.4Vdc, 1.1A, 64.24W
XSG5841250 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:58.4Vdc, 1.25A, 73W
XSG5841500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:58.4Vdc, 1.5A, 87.6W
XSG5841750 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:58.4Vdc, 1.75A, 102.2W
XSG5842000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:58.4Vdc, 2A, 116.8W
XSG5881100 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:58.8Vdc, 1.1A, 64.68W
XSG5881250 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:58.8Vdc, 1.25A, 73.5W
XSG5881500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:58.8Vdc, 1.5A, 88.2W
XSG5881750 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:58.8Vdc, 1.75A, 102.9W
XSG5882000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:58.8Vdc, 2A, 117.6W
XSG6000500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:60Vdc, 0.5A, 30W
XSG6001000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:60Vdc, 1A, 60W
XSG6001250 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:60Vdc, 1.25A, 75W
XSG6001500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:60Vdc, 1.5A, 90W
XSG6001750 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:60Vdc, 1.75A, 105W
XSG6002000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:60Vdc, 2A, 120W
XSG6201000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:62Vdc, 1A, 62W
XSG6201250 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:62Vdc, 1.25A, 77.5W
XSG6201500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:62Vdc, 1.5A, 93W
XSG6201750 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:62Vdc, 1.75A, 108.5W
XSG6202000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:62Vdc, 2A, 124W
XSG6300500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:63Vdc, 0.5A, 31.5W
XSG6301000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:63Vdc, 1A, 63W
XSG6301250 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:63Vdc, 1.25A, 78.75W
XSG6301500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:63Vdc, 1.5A, 94.5W
XSG6301750 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:63Vdc, 1.75A, 110.25W
XSG6302000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:63Vdc, 2A, 126W
XSG6480500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:64.8Vdc, 0.5A, 32.4W
XSG6481000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:64.8Vdc, 1A, 64.8W
XSG6481250 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:64.8Vdc, 1.25A, 81W
XSG6481500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:64.8Vdc, 1.5A, 97.2W



Proof of RCM Compliance

Cert.No.: POC26037731

Appendix -Model list

Model	Rating
XSG6481750 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:64.8Vdc, 1.75A, 113.4W
XSG6571000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:65.7Vdc, 1A, 65.7W
XSG6571250 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:65.7Vdc, 1.25A, 82.125W
XSG6571500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:65.7Vdc, 1.5A, 98.55W
XSG6571750 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:65.7Vdc, 1.75A, 114.975W
XSG6720500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:67.2Vdc, 0.5A, 33.6W
XSG6720600 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:67.2Vdc, 0.6A, 40.32W
XSG6720700 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:67.2Vdc, 0.7A, 47.04W
XSG6720800 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:67.2Vdc, 0.8A, 53.76W
XSG6721000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:67.2Vdc, 1A, 67.2W
XSG6721250 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:67.2Vdc, 1.25A, 84W
XSG6721500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:67.2Vdc, 1.5A, 100.8W
XSG6721750 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:67.2Vdc, 1.75A, 117.6W
XSG6751000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:67.5Vdc, 1A, 67.5W
XSG6751250 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:67.5Vdc, 1.25A, 84.375W
XSG6751500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:67.5Vdc, 1.5A, 101.25W
XSG6751750 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:67.5Vdc, 1.75A, 118.125W
XSG6941000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:69.4Vdc, 1A, 69.4W
XSG6941250 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:69.4Vdc, 1.25A, 86.75W
XSG6941500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:69.4Vdc, 1.5A, 104.1W
XSG6941750 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:69.4Vdc, 1.75A, 121.45W
XSG7000500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:70Vdc, 0.5A, 35W
XSG7001000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:70Vdc, 1A, 70W
XSG7001250 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:70Vdc, 1.25A, 87.5W
XSG7001500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:70Vdc, 1.5A, 105W
XSG7001750 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:70Vdc, 1.75A, 122.5W
XSG7140500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:71.4Vdc, 0.5A, 35.7W
XSG7141000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:71.4Vdc, 1A, 71.4W
XSG7141250 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:71.4Vdc, 1.25A, 89.25W
XSG7141500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:71.4Vdc, 1.5A, 107.1W
XSG7141750 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:71.4Vdc, 1.75A, 124.95W



Proof of RCM Compliance

Cert.No.: POC26037731

Appendix -Model list

Model	Rating
XSG7201000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:72Vdc, 1A, 72W
XSG7201250 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:72Vdc, 1.25A, 90W
XSG7201500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:72Vdc, 1.5A, 108W
XSG7251000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:72.5Vdc, 1A, 72.5W
XSG7251250 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:72.5Vdc, 1.25A, 90.625W
XSG7251500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:72.5Vdc, 1.5A, 108.75W
XSG7300500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:73Vdc, 0.5A, 36.5W
XSG7301000 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:73Vdc, 1A, 73W
XSG7301250 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:73Vdc, 1.25A, 91.25W
XSG7301500 L2	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:73Vdc, 1.5A, 109.5W