

Certificate of Conformity

Global-Mark Pty. Ltd., certify the electrical equipment described hereunder complies with standards listed herein and notifies the certificate holder to affix the authorised Approval Mark on the product of the same type and the Regulatory Compliance Mark (RCM) mark provided that the requirements of all relevant parts of AS/NZS 4417 applicable to the article are fulfilled. In placing the Approval and RCM mark on the product, the Responsible Supplier makes a declaration of compliance with the certification standard(s) and confirms that the product is identical to the product certified herein. – This Certificate meets the requirements of a Recognised External Certification Scheme (EESS- RECS) and a Recognised External Approval Scheme (NSW-REAS).

CERTIFICATION AND CERTIFICATE HOLDER DETAILS

Company Name	Xinsu Global Electronic Co.,Limited	Other Name	
Address	Unit 2508A 25/F Of America Tower, 12 Harcourt Road Central - - Hong Kong		
Client ID	108463	Global-Mark File Number:	108463-006
Certificate Number & Approval Mark	GMA-527798-EA	Revision Number	00
Certification Standard(s)	AS/NZS 62368.1:2022 Audio/video, information and communication technology equipment - Safety requirements		
Type of Certification	Electrical Safety Product	Scheme	Global-Mark Electrical Product Safety Certification Scheme

System 1 Approval


CERTIFICATE DATES

Certificate Issue Date	8/04/2026
Certificate Last Update Date	
Certification Expiry Date	8/04/2031

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager




Certificate of Conformity

CERTIFIED ELECTRICAL EQUIPMENT				
Declared Article	Product Description	Trade Name	Model Number	Rating
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG0428000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:4.2Vdc, 8A, 33.6W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG0428500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:4.2Vdc, 8.5A, 35.7W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG0429000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:4.2Vdc, 9A, 37.8W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG0429500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:4.2Vdc, 9.5A, 39.9W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG04210000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:4.2Vdc, 10A, 42W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG0508000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:5Vdc, 8A, 40W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG0508500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:5Vdc, 8.5A, 42.5W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG0509000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:5Vdc, 9A, 45W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG0509500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:5Vdc, 9.5A, 47.5W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG05010000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:5Vdc, 10A, 50W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG0608000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:6Vdc, 8A, 48W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG0609000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:6Vdc, 9A, 54W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG0609500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:6Vdc, 9.5A, 57W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG06010000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:6Vdc, 10A, 60W

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager


Certificate of Conformity

Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG0658000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:6.5Vdc, 8A, 52W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG0659000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:6.5Vdc, 9A, 58.5W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG06510000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:6.5Vdc, 10A, 65W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG0728000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:7.2Vdc, 8A, 57.6W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG0728500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:7.2Vdc, 8.5A, 61.2W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG0729000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:7.2Vdc, 9A, 64.8W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG0729500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:7.2Vdc, 9.5A, 68.4W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG07210000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:7.2Vdc, 10A, 72W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG0738000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:7.3Vdc, 8A, 58.4W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG0738500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:7.3Vdc, 8.5A, 62.05W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG0739000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:7.3Vdc, 9A, 65.7W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG0739500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:7.3Vdc, 9.5A, 69.35W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG07310000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:7.3Vdc, 10A, 73W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG0758000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:7.5Vdc, 8A, 60W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG0758500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:7.5Vdc, 8.5A, 63.75W

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager




Certificate of Conformity

Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG0759000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:7.5Vdc, 9A, 67.5W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG0759500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:7.5Vdc, 9.5A, 71.25W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG07510000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:7.5Vdc, 10A, 75W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG0848000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:8.4Vdc, 8A, 67.2W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG0848500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:8.4Vdc, 8.5A, 71.4W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG0849000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:8.4Vdc, 9A, 75.6W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG0849500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:8.4Vdc, 9.5A, 79.8W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG08410000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:8.4Vdc, 10A, 84W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG0908000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:9Vdc, 8A, 72W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG0908500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:9Vdc, 8.5A, 76.5W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG0909000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:9Vdc, 9A, 81W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG0909500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:9Vdc, 9.5A, 85.5W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG09010000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:9Vdc, 10A, 90W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG1008000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:10Vdc, 8A, 80W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG1009000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:10Vdc, 9A, 90W

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager




Certificate of Conformity

Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG1009500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:10Vdc, 9.5A, 95W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG10010000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:10Vdc, 10A, 100W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG10010500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:10Vdc, 10.5A, 105W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG10011000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:10Vdc, 11A, 110W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG1108000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:11Vdc, 8A, 88W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG1108500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:11Vdc, 8.5A, 93.5W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG1109000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:11Vdc, 9A, 99W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG1109500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:11Vdc, 9.5A, 104.5W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG11010000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:11Vdc, 10A, 110W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG11010500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:11Vdc, 10.5A, 115.5W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG11011000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:11Vdc, 11A, 121W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG1205500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:12Vdc, 5.5A, 66W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG1206000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:12Vdc, 6A, 72W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG1207000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:12Vdc, 7A, 84W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG1207500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:12Vdc, 7.5A, 90W

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager




Certificate of Conformity

Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG1208000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:12Vdc, 8A, 96W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG1208500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:12Vdc, 8.5A, 102W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG1209000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:12Vdc, 9A, 108W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG1209500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:12Vdc, 9.5A, 114W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG12010000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:12Vdc, 10A, 120W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG12010500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:12Vdc, 10.5A, 126W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG12011000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:12Vdc, 11A, 132W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG1265500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:12.6Vdc, 5.5A, 69.3W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG1266000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:12.6Vdc, 6A, 75.6W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG1266500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:12.6Vdc, 6.5A, 81.9W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG1267000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:12.6Vdc, 7A, 88.2W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG1267500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:12.6Vdc, 7.5A, 94.5W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG1268000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:12.6Vdc, 8A, 100.8W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG1268500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:12.6Vdc, 8.5A, 107.1W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG1269000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:12.6Vdc, 9A, 113.4W

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager

Certificate of Conformity

Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG1269500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:12.6Vdc, 9.5A, 119.7W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG12610000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:12.6Vdc, 10A, 126W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG12610500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:12.6Vdc, 10.5A, 132.3W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG12611000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:12.6Vdc, 11A, 138.6W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG1308000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:13Vdc, 8A, 104W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG1309000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:13Vdc, 9A, 117W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG13010000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:13Vdc, 10A, 130W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG13010500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:13Vdc, 10.5A, 136.5W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG13011000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:13Vdc, 11A, 143W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG1407500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:14Vdc, 7.5A, 105W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG1408000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:14Vdc, 8A, 112W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG1408500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:14Vdc, 8.5A, 119W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG1409000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:14Vdc, 9A, 126W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG1409500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:14Vdc, 9.5A, 133W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG14010000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:14Vdc, 10A, 140W

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.




Certification Manager

Page 7 of 35



JAS-ANZ




Certificate of Conformity

Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG14010500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:14Vdc, 10.5A, 147W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG14011000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:14Vdc, 11A, 154W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG1464000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:14.6Vdc, 4A, 58.4W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG1465000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:14.6Vdc, 5A, 73W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG1466000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:14.6Vdc, 6A, 87.6W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG1466500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:14.6Vdc, 6.5A, 94.9W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG1467000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:14.6Vdc, 7A, 102.2W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG1467500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:14.6Vdc, 7.5A, 109.5W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG1468000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:14.6Vdc, 8A, 116.8W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG1468500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:14.6Vdc, 8.5A, 124.1W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG1469000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:14.6Vdc, 9A, 131.4W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG1469500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:14.6Vdc, 9.5A, 138.7W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG14610000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:14.6Vdc, 10A, 146W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG14610500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:14.6Vdc, 10.5A, 153.3W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG14611000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:14.6Vdc, 11A, 160.6W

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager



Certificate of Conformity


Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG1505000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:15Vdc, 5A, 75W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG1506000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:15Vdc, 6A, 90W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG1507000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:15Vdc, 7A, 105W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG1507500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:15Vdc, 7.5A, 112.5W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG1508000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:15Vdc, 8A, 120W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG1508500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:15Vdc, 8.5A, 127.5W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG1509000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:15Vdc, 9A, 135W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG1509500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:15Vdc, 9.5A, 142.5W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG15010000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:15Vdc, 10A, 150W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG1607000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:16Vdc, 7A, 112W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG1607500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:16Vdc, 7.5A, 120W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG1608000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:16Vdc, 8A, 128W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG1609000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:16Vdc, 9A, 144W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG16010000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:16Vdc, 10A, 160W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG1684000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:16.8Vdc, 4A, 67.2W

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager

Henri Hobbs




Certificate of Conformity

Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG1685000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:16.8Vdc, 5A, 84W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG1686000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:16.8Vdc, 6A, 100.8W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG1686500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:16.8Vdc, 6.5A, 109.2W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG1687000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:16.8Vdc, 7A, 117.6W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG1687500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:16.8Vdc, 7.5A, 126W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG1688000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:16.8Vdc, 8A, 134.4W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG1688500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:16.8Vdc, 8.5A, 142.8W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG1689000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:16.8Vdc, 9A, 151.2W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG1689500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:16.8Vdc, 9.5A, 159.6W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG16810000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:16.8Vdc, 10A, 168W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG1707500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:17Vdc, 7.5A, 127.5W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG1708000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:17Vdc, 8A, 136W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG1708500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:17Vdc, 8.5A, 144.5W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG1709000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:17Vdc, 9A, 153W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG1709500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:17Vdc, 9.5A, 161.5W

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager




Certificate of Conformity

Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG17010000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:17Vdc, 10A, 170W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG1804000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:18Vdc, 4A, 72W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG1805000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:18Vdc, 5A, 90W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG1806000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:18Vdc, 6A, 108W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG1807000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:18Vdc, 7A, 126W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG1807500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:18Vdc, 7.5A, 135W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG1808000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:18Vdc, 8A, 144W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG1808500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:18Vdc, 8.5A, 153W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG1809000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:18Vdc, 9A, 162W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG1809500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:18Vdc, 9.5A, 171W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG18010000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:18Vdc, 10A, 180W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG1837000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:18.3Vdc, 7A, 128.1W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG1837500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:18.3Vdc, 7.5A, 137.25W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG1838000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:18.3Vdc, 8A, 146.4W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG1838500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:18.3Vdc, 8.5A, 155.55W

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager




Certificate of Conformity

Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG1839000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:18.3Vdc, 9A, 164.7W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG1839500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:18.3Vdc, 9.5A, 173.85W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG18310000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:18.3Vdc, 10A, 183W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG1906320	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:19Vdc, 6.32A, 120.08W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG1906500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:19Vdc, 6.5A, 123.5W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG1907000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:19Vdc, 7A, 133W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG1907500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:19Vdc, 7.5A, 142.5W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG1907890	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:19Vdc, 7.89A, 149.91W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG1908000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:19Vdc, 8A, 152W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG1908500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:19Vdc, 8.5A, 161.5W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG1909000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:19Vdc, 9A, 171W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG1909500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:19Vdc, 9.5A, 180.5W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG19010000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:19Vdc, 10A, 190W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG1956500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:19.5Vdc, 6.5A, 126.75W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG1957000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:19.5Vdc, 7A, 136.5W

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager




Certificate of Conformity

Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG1957500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:19.5Vdc, 7.5A, 146.25W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG1957700	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:19.5Vdc, 7.7A, 150.15W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG1958000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:19.5Vdc, 8A, 156W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG1958500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:19.5Vdc, 8.5A, 165.75W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG1959000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:19.5Vdc, 9A, 175.5W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG1959500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:19.5Vdc, 9.5A, 185.25W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG2006500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:20Vdc, 6.5A, 130W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG2007000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:20Vdc, 7A, 140W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG2007500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:20Vdc, 7.5A, 150W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG2008000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:20Vdc, 8A, 160W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG2008500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:20Vdc, 8.5A, 170W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG2009000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:20Vdc, 9A, 180W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG2009500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:20Vdc, 9.5A, 190W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG2103000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:21Vdc, 3A, 63W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG2106000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:21Vdc, 6A, 126W

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager



Certificate of Conformity


Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG2106500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:21Vdc, 6.5A, 136.5W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG2107000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:21Vdc, 7A, 147W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG2107500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:21Vdc, 7.5A, 157.5W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG2108000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:21Vdc, 8A, 168W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG2108500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:21Vdc, 8.5A, 178.5W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG2109000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:21Vdc, 9A, 189W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG2205500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:22Vdc, 5.5A, 121W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG2206000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:22Vdc, 6A, 132W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG2206500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:22Vdc, 6.5A, 143W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG2207000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:22Vdc, 7A, 154W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG2207500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:22Vdc, 7.5A, 165W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG2208000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:22Vdc, 8A, 176W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG2208500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:22Vdc, 8.5A, 187W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG2255500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:22.5Vdc, 5.5A, 123.75W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG2256000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:22.5Vdc, 6A, 135W

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager

Henri Hobas



Certificate of Conformity


Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG2257000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:22.5Vdc, 7A, 157.5W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG2257500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:22.5Vdc, 7.5A, 168.75W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG2258000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:22.5Vdc, 8A, 180W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG2258500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:22.5Vdc, 8.5A, 191.25W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG2403000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:24Vdc, 3A, 72W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG2403250	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:24Vdc, 3.25A, 78W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG2403500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:24Vdc, 3.5A, 84W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG2403750	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:24Vdc, 3.75A, 90W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG2404000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:24Vdc, 4A, 96W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG2404500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:24Vdc, 4.5A, 108W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG2405000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:24Vdc, 5A, 120W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG2405500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:24Vdc, 5.5A, 132W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG2406000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:24Vdc, 6A, 144W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG2406250	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:24Vdc, 6.25A, 150W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG2406500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:24Vdc, 6.5A, 156W

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager

Henri Hobas



Certificate of Conformity


Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG2407000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:24Vdc, 7A, 168W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG2407500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:24Vdc, 7.5A, 180W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG2408000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:24Vdc, 8A, 192W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG2408330	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:24Vdc, 8.33A, 199.92W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG2408500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:24Vdc, 8.5A, 204W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG2525000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:25.2Vdc, 5A, 126W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG2525500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:25.2Vdc, 5.5A, 138.6W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG2526000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:25.2Vdc, 6A, 151.2W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG2526500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:25.2Vdc, 6.5A, 163.8W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG2527000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:25.2Vdc, 7A, 176.4W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG2527500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:25.2Vdc, 7.5A, 189W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG2528000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:25.2Vdc, 8A, 201.6W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG2555000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:25.5Vdc, 5A, 127.5W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG2555500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:25.5Vdc, 5.5A, 140.25W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG2556000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:25.5Vdc, 6A, 153W

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager

Henri Hobas




Certificate of Conformity

Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG2556500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:25.5Vdc, 6.5A, 165.75W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG2557000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:25.5Vdc, 7A, 178.5W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG2557500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:25.5Vdc, 7.5A, 191.25W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG2558000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:25.5Vdc, 8A, 204W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG2704500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:27Vdc, 4.5A, 121.5W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG2705000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:27Vdc, 5A, 135W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG2705500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:27Vdc, 5.5A, 148.5W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG2706000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:27Vdc, 6A, 162W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG2706500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:27Vdc, 6.5A, 175.5W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG2707000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:27Vdc, 7A, 189W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG2707500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:27Vdc, 7.5A, 202.5W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG2804500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:28Vdc, 4.5A, 126W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG2805000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:28Vdc, 5A, 140W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG2805500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:28Vdc, 5.5A, 154W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG2806000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:28Vdc, 6A, 168W

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager




Certificate of Conformity

Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG2806500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:28Vdc, 6.5A, 182W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG2807000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:28Vdc, 7A, 196W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG2807350	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:28Vdc, 7.35A, 205.8W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG2904500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:29Vdc, 4.5A, 130.5W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG2905000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:29Vdc, 5A, 145W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG2905500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:29Vdc, 5.5A, 159.5W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG2906000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:29Vdc, 6A, 174W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG2906500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:29Vdc, 6.5A, 188.5W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG2907000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:29Vdc, 7A, 203W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG2924500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:29.2Vdc, 4.5A, 131.4W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG2925000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:29.2Vdc, 5A, 146W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG2925500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:29.2Vdc, 5.5A, 160.6W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG2926000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:29.2Vdc, 6A, 175.2W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG2926500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:29.2Vdc, 6.5A, 189.8W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG2927000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:29.2Vdc, 7A, 204.4W

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager




Certificate of Conformity

Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG2942200	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:29.4Vdc, 2.2A, 64.68W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG2944500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:29.4Vdc, 4.5A, 132.3W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG2945000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:29.4Vdc, 5A, 147W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG2945500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:29.4Vdc, 5.5A, 161.7W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG2946000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:29.4Vdc, 6A, 176.4W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG2946500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:29.4Vdc, 6.5A, 191.1W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG2947000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:29.4Vdc, 7A, 205.8W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG3004500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:30Vdc, 4.5A, 135W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG3005000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:30Vdc, 5A, 150W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG3005500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:30Vdc, 5.5A, 165W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG3006000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:30Vdc, 6A, 180W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG3006500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:30Vdc, 6.5A, 195W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG3204000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:32Vdc, 4A, 128W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG3204500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:32Vdc, 4.5A, 144W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG3205000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:32Vdc, 5A, 160W

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager



Certificate of Conformity


Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG3205500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:32Vdc, 5.5A, 176W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG3206000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:32Vdc, 6A, 192W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG3206400	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:32Vdc, 6.4A, 204.8W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG3364000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:33.6Vdc, 4A, 134.4W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG3364500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:33.6Vdc, 4.5A, 151.2W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG3365000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:33.6Vdc, 5A, 168W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG3365500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:33.6Vdc, 5.5A, 184.8W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG3366000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:33.6Vdc, 6A, 201.6W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG3404000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:34Vdc, 4A, 136W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG3404500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:34Vdc, 4.5A, 153W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG3405000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:34Vdc, 5A, 170W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG3405500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:34Vdc, 5.5A, 187W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG3406000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:34Vdc, 6A, 204W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG3503500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:35Vdc, 3.5A, 122.5W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG3504000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:35Vdc, 4A, 140W

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager

Henri Hobas




Certificate of Conformity

Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG3504500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:35Vdc, 4.5A, 157.5W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG3505000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:35Vdc, 5A, 175W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG3505500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:35Vdc, 5.5A, 192.5W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG3506000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:35Vdc, 6A, 210W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG3603500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:36Vdc, 3.5A, 126W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG3604000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:36Vdc, 4A, 144W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG3604500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:36Vdc, 4.5A, 162W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG3605000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:36Vdc, 5A, 180W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG3605500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:36Vdc, 5.5A, 198W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG3606000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:36Vdc, 6A, 216W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG3653500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:36.5Vdc, 3.5A, 127.75W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG3654000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:36.5Vdc, 4A, 146W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG3654500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:36.5Vdc, 4.5A, 164.25W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG3655000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:36.5Vdc, 5A, 182.5W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG3655500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:36.5Vdc, 5.5A, 200.75W

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager



Certificate of Conformity


Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG3656000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:36.5Vdc, 6A, 219W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG3783500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:37.8Vdc, 3.5A, 132.3W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG3784000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:37.8Vdc, 4A, 151.2W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG3784500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:37.8Vdc, 4.5A, 170. 1W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG3785000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:37.8Vdc, 5A, 189W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG3803500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:38Vdc, 3.5A, 133W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG3804000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:38Vdc, 4A, 152W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG3804500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:38Vdc, 4.5A, 171W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG3805000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:38Vdc, 5A, 190W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG4023000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:40.2Vdc, 3A, 120.6W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG4023500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:40.2Vdc, 3.5A, 140.7W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG4024000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:40.2Vdc, 4A, 160.8W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG4024500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:40.2Vdc, 4.5A, 180.9W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG4025000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:40.2Vdc, 5A, 201W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG4203000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:42Vdc, 3A, 126W

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager

Henri Hobas




Certificate of Conformity

Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG4203500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:42Vdc, 3.5A, 147W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG4204000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:42Vdc, 4A, 168W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG4204500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:42Vdc, 4.5A, 189W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG4205000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:42Vdc, 5A, 210W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG4253000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:42.5Vdc, 3A, 127.5W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG4253500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:42.5Vdc, 3.5A, 148.75W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG4254000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:42.5Vdc, 4A, 170W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG4254500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:42.5Vdc, 4.5A, 191.25W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG4303000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:43Vdc, 3A, 129W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG4304000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:43Vdc, 4A, 172W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG4304500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:43Vdc, 4.5A, 193.5W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG4323000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:43.2Vdc, 3A, 129.6W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG4323500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:43.2Vdc, 3.5A, 151.2W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG4324000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:43.2Vdc, 4A, 172.8W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG4324500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:43.2Vdc, 4.5A, 194.4W

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager




Certificate of Conformity

Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG4383000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:43.8Vdc, 3A, 131.4W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG4383500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:43.8Vdc, 3.5A, 153.3W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG4384000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:43.8Vdc, 4A, 175.2W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG4384500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:43.8Vdc, 4.5A, 197.1W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG4403000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:44Vdc, 3A, 132W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG4403500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:44Vdc, 3.5A, 154W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG4404000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:44Vdc, 4A, 176W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG4404500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:44Vdc, 4.5A, 198W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG4503000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:45Vdc, 3A, 135W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG4503500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:45Vdc, 3.5A, 157.5W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG4504000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:45Vdc, 4A, 180W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG4504500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:45Vdc, 4.5A, 202.5W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG4602750	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:46Vdc, 2.75A, 126.5W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG4603000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:46Vdc, 3A, 138W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG4603500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:46Vdc, 3.5A, 161W

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager




Certificate of Conformity

Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG4604000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:46Vdc, 4A, 184W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG4604500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:46Vdc, 4.5A, 207W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG4621400	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:46.2Vdc, 1.4A, 64.68W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG4621500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:46.2Vdc, 1.5A, 69.3W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG4622000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:46.2Vdc, 2A, 92.4W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG4622500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:46.2Vdc, 2.5A, 115.5W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG4622750	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:46.2Vdc, 2.75A, 127.05W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG4623000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:46.2Vdc, 3A, 138.6W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG4623500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:46.2Vdc, 3.5A, 161.7W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG4624000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:46.2Vdc, 4A, 184.8W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG4752750	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:47.5Vdc, 2.75A, 130.625W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG4753000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:47.5Vdc, 3A, 142.5W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG4753500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:47.5Vdc, 3.5A, 166.25W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG4754000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:47.5Vdc, 4A, 190W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG4802500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:48Vdc, 2.5A, 120W

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager




Certificate of Conformity

Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG4802750	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:48Vdc, 2.75A, 132W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG4803000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:48Vdc, 3A, 144W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG4803500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:48Vdc, 3.5A, 168W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG4804000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:48Vdc, 4A, 192W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG4804250	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:48Vdc, 4.25A, 204W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG5041500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:50.4Vdc, 1.5A, 75.6W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG5042000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:50.4Vdc, 2A, 100.8W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG5042500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:50.4Vdc, 2.5A, 126W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG5042750	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:50.4Vdc, 2.75A, 138.6W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG5043000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:50.4Vdc, 3A, 151.2W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG5043500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:50.4Vdc, 3.5A, 176.4W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG5044000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:50.4Vdc, 4A, 201.6W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG5102500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:51Vdc, 2.5A, 127.5W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG5102750	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:51Vdc, 2.75A, 140.25W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG5103000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:51Vdc, 3A, 153W

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager




Certificate of Conformity

Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG5103250	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:51Vdc, 3.25A, 165.75W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG5103500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:51Vdc, 3.5A, 178.5W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG5103750	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:51Vdc, 3.75A, 191.25W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG5104000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:51Vdc, 4A, 204W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG5112500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:51.1Vdc, 2.5A, 127.75W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG5112750	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:51.1Vdc, 2.75A, 140.525W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG5113000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:51.1Vdc, 3A, 153.3W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG5113250	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:51.1Vdc, 3.25A, 166.075W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG5113500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:51.1Vdc, 3.5A, 178.85W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG5113750	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:51.1Vdc, 3.75A, 191.625W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG5114000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:51.1Vdc, 4A, 204.4W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG5462500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:54.6Vdc, 2.5A, 136.5W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG5462750	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:54.6Vdc, 2.75A, 150.15W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG5463000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:54.6Vdc, 3A, 163.8W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG5463250	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:54.6Vdc, 3.25A, 177.45W

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager




Certificate of Conformity

Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG5463500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:54.6Vdc, 3.5A, 191.1W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG5463700	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:54.6Vdc, 3.7A, 202.02W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG5463750	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:54.6Vdc, 3.75A, 204.75W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG5482500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:54.8Vdc, 2.5A, 137W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG5483000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:54.8Vdc, 3A, 164.4W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG5483250	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:54.8Vdc, 3.25A, 178.1W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG5483500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:54.8Vdc, 3.5A, 191.8W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG5483750	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:54.8Vdc, 3.75A, 205.5W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG5502500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:55Vdc, 2.5A, 137.5W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG5502750	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:55Vdc, 2.75A, 151.25W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG5503000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:55Vdc, 3A, 165W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG5503250	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:55Vdc, 3.25A, 178.75W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG5503500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:55Vdc, 3.5A, 192.5W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG5503750	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:55Vdc, 3.75A, 206.25W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG5602500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:56Vdc, 2.5A, 140W

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager




Certificate of Conformity

Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG5602750	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:56Vdc, 2.75A, 154W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG5603000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:56Vdc, 3A, 168W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG5603250	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:56Vdc, 3.25A, 182W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG5603500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:56Vdc, 3.5A, 196W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG5603750	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:56Vdc, 3.75A, 210W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG5802250	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:58Vdc, 2.25A, 130.5W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG5802500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:58Vdc, 2.5A, 145W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG5802750	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:58Vdc, 2.75A, 159.5W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG5803000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:58Vdc, 3A, 174W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG5803250	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:58Vdc, 3.25A, 188.5W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG5803500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:58Vdc, 3.5A, 203W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG5803600	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:58Vdc, 3.6A, 208.8W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG5842250	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:58.4Vdc, 2.25A, 131.4W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG5842500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:58.4Vdc, 2.5A, 146W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG5842750	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:58.4Vdc, 2.75A, 160.6W

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager




Certificate of Conformity

Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG5843000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:58.4Vdc, 3A, 175.2W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG5843250	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:58.4Vdc, 3.25A, 189.8W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG5843500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:58.4Vdc, 3.5A, 204.4W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG5843600	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:58.4Vdc, 3.6A, 210.24W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG5882250	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:58.8Vdc, 2.25A, 132.3W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG5882500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:58.8Vdc, 2.5A, 147W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG5882750	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:58.8Vdc, 2.75A, 161.7W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG5883000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:58.8Vdc, 3A, 176.4W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG5883250	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:58.8Vdc, 3.25A, 191.1W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG5883500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:58.8Vdc, 3.5A, 205.8W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG6002250	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:60Vdc, 2.25A, 135W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG6002500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:60Vdc, 2.5A, 150W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG6002750	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:60Vdc, 2.75A, 165W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG6003000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:60Vdc, 3A, 180W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG6003250	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:60Vdc, 3.25A, 195W

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager




Certificate of Conformity

Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG6003400	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:60Vdc, 3.4A, 204W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG6202000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:62Vdc, 2A, 124W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG6202250	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:62Vdc, 2.25A, 139.5W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG6202500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:62Vdc, 2.5A, 155W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG6202750	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:62Vdc, 2.75A, 170.5W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG6203000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:62Vdc, 3A, 186W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG6203250	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:62Vdc, 3.25A, 201.5W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG6302000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:63Vdc, 2A, 126W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG6302250	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:63Vdc, 2.25A, 141.75W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG6302500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:63Vdc, 2.5A, 157.5W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG6302750	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:63Vdc, 2.75A, 173.25W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG6303000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:63Vdc, 3A, 189W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG6303200	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:63Vdc, 3.2A, 201.6W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG6482000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:64.8Vdc, 2A, 129.6W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG6482250	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:64.8Vdc, 2.25A, 145.8W

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager




Certificate of Conformity

Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG6482500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:64.8Vdc, 2.5A, 162W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG6482750	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:64.8Vdc, 2.75A, 178.2W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG6483000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:64.8Vdc, 3A, 194.4W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG6572000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:65.7Vdc, 2A, 131.4W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG6572250	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:65.7Vdc, 2.25A, 147.825W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG6572500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:65.7Vdc, 2.5A, 164.25W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG6572750	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:65.7Vdc, 2.75A, 180.675W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG6573000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:65.7Vdc, 3A, 197.1W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG6722000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:67.2Vdc, 2A, 134.4W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG6722250	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:67.2Vdc, 2.25A, 151.2W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG6722500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:67.2Vdc, 2.5A, 168W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG6722750	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:67.2Vdc, 2.75A, 184.8W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG6723000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:67.2Vdc, 3A, 201.6W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG6752000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:67.5Vdc, 2A, 135W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG6752250	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:67.5Vdc, 2.25A, 151.875W

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager




Certificate of Conformity

Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG6752500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:67.5Vdc, 2.5A, 168.75W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG6752750	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:67.5Vdc, 2.75A, 185.625W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG6753000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:67.5Vdc, 3A, 202.5W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG6941750	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:69.4Vdc, 1.75A, 121.45W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG6942000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:69.4Vdc, 2A, 138.8W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG6942250	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:69.4Vdc, 2.25A, 156.15W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG6942500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:69.4Vdc, 2.5A, 173.5W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG6942750	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:69.4Vdc, 2.75A, 190.85W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG6942900	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:69.4Vdc, 2.9A, 201.26W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG7001750	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:70Vdc, 1.75A, 122.5W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG7002000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:70Vdc, 2A, 140W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG7002250	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:70Vdc, 2.25A, 157.5W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG7002500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:70Vdc, 2.5A, 175W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG7002750	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:70Vdc, 2.75A, 192.5W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG7141750	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:71.4Vdc, 1.75A, 124.95W

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager




Certificate of Conformity

Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG7142000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:71.4Vdc, 2A, 142.8W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG7142250	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:71.4Vdc, 2.25A, 160.65W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG7142500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:71.4Vdc, 2.5A, 178.5W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG7142750	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:71.4Vdc, 2.75A, 196.35W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG7201750	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:72Vdc, 1.75A, 126W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG7202000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:72Vdc, 2A, 144W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG7202250	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:72Vdc, 2.25A, 162W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG7202500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:72Vdc, 2.5A, 180W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG7202750	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:72Vdc, 2.75A, 198W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG7251750	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:72.5Vdc, 1.75A, 126.875W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG7252000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:72.5Vdc, 2A, 145W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG7252250	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:72.5Vdc, 2.25A, 163.125W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG7252500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:72.5Vdc, 2.5A, 181.25W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG7252750	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:72.5Vdc, 2.75A, 199.375W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG7301750	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:73Vdc, 1.75A, 127.75W

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager



Certificate of Conformity

Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG7302000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:73Vdc, 2A, 146W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG7302250	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:73Vdc, 2.25A, 164.25W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG7302500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:73Vdc, 2.5A, 182.5W
Power Supply or Charger	SWITCHING POWER SUPPLY/CHARGER	Xinsu Global	XSG7302750	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:73Vdc, 2.75A, 200.75W

RELEVANT TRADEMARK (S)

COMMENTS OR CONDITIONS ON THE CERTIFICATION

2026/04/08 Initial Certification
- For use with AV/IT equipment

End of document

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager




Page 35 of 35

Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia



Global-Mark.com.au®

JAS-ANZ



WWW.JASANZ.ORG/REGISTER